

PRICE BOOK

JANUARY 1, 2009



ALARM LOCK

ALARM LOCK SYSTEMS, INC

345 Bayview Ave.

Amityville, NY 11701

1-800-ALA-LOCK (252-5625)

(631) 789-4871 Tel or (631) 789-3383 Fax



Price Book 2009

Important Things to Know about Doing Business with Alarm Lock Systems, Inc.

Prices shown in this book are list prices. All customers with direct accounts receive a discount letter along with each new price book. If you have a direct account with Alarm Lock you may request a copy of your discount letter in writing or by contacting you local sales representative.

Terms: 2%/10 Days Net 30. Any invoice not paid within the 10 days following the invoice date is not entitled to the 2% discount.

Freight Allowance: Shipments are F.O.B. Amityville, NY. Freight allowed within the continental U.S.A. is \$7,500.00.

Order acknowledgements: your original order will be faxed back to you with an order number and ship date.

Drop Shipments: All orders shipping to an address other than the customer's or one of their branches, is subject to a \$25.00 handling fee.

Minimum Order: The minimum order requirement has been changed to \$250.00 for all customers.

Claims: All claims for discrepancies in shipments must be submitted within 10 days following receipt of said shipment. No short shipments or claims for damages will be honored after the 10 day period.

Returns: If you need to return a product, please fax your request to 631 842-3574 or call 1 800 252-5625 ext 149.

Warranty: Please see the last page in this price book for Alarm Lock's complete warranty/return policy.

Website: Visit us at www.alarmlock.com for a complete list of sales representatives by state, product specifications, technical data, downloadable pdf files of all Alarm Lock's products as well as the most current version of our software DL-Windows.

If you need to contact us:

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville NY 11701

Toll free number – 1 800 ALA-LOCK (252-5625)
Direct telephone – 631 789-4871
Direct fax – 631 789-3383



Price Book 2009

Table of Contents

| | | |
|--------------------------------------------|------------------------------------------------------------------|----------------|
| Trilogy DL2700 | 100 user Lock..... | 5 |
| Trilogy DL5200 | 100 user Double Sided Lock..... | 6 |
| Trilogy DL2800 | 200 user Lock..... | 7 |
| Trilogy DL3000 | 300 user Lock..... | 8 |
| Trilogy DL3200 | 2000 user Lock..... | 9 |
| Trilogy DL5300 | 2000 user Double Sided Lock..... | 10 |
| Trilogy DL4100 | 2000 user Privacy/Residency Lock..... | 11 |
| Trilogy PDL3000 | 2000 user Proximity & Keypad Lock..... | 12 |
| Trilogy PDL5300 | 2000 user Proximity Double Sided Lock..... | 13 |
| Trilogy PL3000 | 2000 user Proximity Only Lock..... | 14 |
| Trilogy PDL4100 | 2000 user Proximity w/Privacy/Residency Lock..... | 15 |
| Trilogy PL4100 | 2000 user Proximity only w/Privacy/Residency Lock..... | 16 |
| Trilogy Cylindrical Lock Parts..... | | 17,18 |
| Trilogy DL3500 | 300 user Mortise Lock | .19, 20 |
| Trilogy DL4500 | 2000 user Mortise w/Privacy/Residency Lock..... | 21 |
| Trilogy PDL3500 | 2000 user Proximity Mortise Lock | 22,23 |
| Trilogy PL3500 | 2000 user Proximity Only Lock..... | 22,23 |
| Trilogy PDL4500 | 2000 user Proximity Mortise w/Privacy/Residency Lock..... | ..24 |
| Trilogy Mortise Lock Parts..... | | 25 |
| Trilogy DL1200 | 100 user Narrow stile Lock..... | 26 |



Price Book 2009

Table of Contents (con't)

Trilogy DL1300 2000 user Narrow Stile Lock.....27

Trilogy PDL1300 2000 user Narrow Stile Proximity Lock.....28

Trilogy Narrow Stile Lock Parts & Accessories.....29

Trilogy DL1200ET 100 user Narrow Stile Exit Trim.....30,31

Trilogy DL1300ET 2000 user Narrow Stile Exit Trim.....31

Trilogy PDL1300ET 2000 user Narrow Stile Proximity Exit Trim Lock.....31

Trilogy Narrow Stile Exit Trim Parts & Accessories.....32

Trilogy ETDL 2000 user Exit Trim Lock.....33,34,35

Trilogy ETPDL 2000 user Proximity Exit Trim Lock.....33,34,35

Trilogy Exit Trim Parts & Accessories.....34

Trilogy DK3000 2000 user Keypad/Wall Mounted Reader..... 36

Trilogy PDK3000 2000 user Proximity Keypad/Wall Mounted Reader36

A-Series Keypads, Transformers & Power Supplies.....37,38

Weather Resistant Alarmed Panic Devices.....39

Alarmed Panic Devices.....40

Door Alarms.....41

Delayed Egress Panic Device.....42

Electric Deadbolts.....42

Remote Release Magnets.....43

Power Magnets.....43,44



TRILOGY ELECTRONIC DIGITAL LOCKS

DL2700 SERIES – Electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8” ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



| PRODUCT | FINISH | LIST PRICE |
|-----------------------------------------------|-----------------------------------|--------------|
| DL2700 | US26D | 725.00 |
| Standard key override | US26, US3, US5, & US10B | 795.00 |
| DL2775 | US26D | 745.00 |
| Standard Key override Regal (curved) | US26, US3, US5, & US10B | 845.00 |
| DL2700IC* | US26D | 740.00 |
| Interchangeable core | US26, US3, US5, & US10B | 810.00 |
| DL2775IC* | US26D | 770.00 |
| Interchangeable core Regal (curved) | US26, US3, US5, & US10B | 825.00 |
| DL2700WP | US26D | 780.00 |
| Weather proof key override | US26, US3, US4, US5, US10 & US10B | 835.00 |
| DL2775WP | US26D | 795.00 |
| Weather proof key override Regal (curved) | US26, US3, US4, US5, US10 & US10B | 850.00 |
| DL2700WPIC* | US26D | 795.00 |
| Weather proof Interchangeable core | US26, US3, US4, US5, US10 & US10B | 850.00 |
| DL2775WIC* | US26D | 810.00 |
| New Regal (curved) lever Interchangeable core | US26, US3, US4, US5, US10 & US10B | 870.00 |
| DL2700SK | Mounted DL2700 demo | Call Factory |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).



TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5200 SERIES – Double sided electronic battery operated digital lock. Holds up to 100 user codes, 1 Master, 10 Manager codes & up to 3 one time user codes. Programmable keypad on both sides of the door. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8” ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad on both sides of the door
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed UL Listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL5200 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|--------------------------------------|-----------------------------------|--------------|
| DL5200 | US26D | 1,195.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,250.00 |
| DL5275 | US26D | 1,215.00 |
| Standard Key override Regal (curved) | US26, US3, US4, US5, US10 & US10B | 1,270.00 |
| DL5200IC* | US26D | 1,210.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,265.00 |
| DL5275IC* | US26D | 1,235.00 |
| Interchangeable core Regal (curved) | US26, US3, US4, US5, US10 & US10B | 1,290.00 |
| DL5200SK | Mounted DL5200 demo | Call Factory |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Allow 10 - 12 weeks for special IC preps

TRILOGY ELECTRONIC DIGITAL LOCKS

DL2800 SERIES – Electronic battery operated digital lock. Holds up to 200 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,000 event audit trail.

SPECIFICATIONS:

- Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
- Backset: 2 3/4 “ (2 3/8” also available)
- Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included
- Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
- Handing: Non-handed
- Power: 5 AA alkaline batteries (included)
- Keypad: All metal, 12 button. All functions programmed through keypad.
- Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
- Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed, 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
- Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
- Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



All DL2800 LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------|---------------------------------------------------------------------------------------|--------------|
| DL2800 | US26D | 850.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 920.00 |
| DL2875 | US26D | 870.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 935.00 |
| Regal (curved) lever | | |
| DL2800IC* | US26D | 870.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 935.00 |
| DL2875IC* | US26D | 890.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 950.00 |
| Regal (curved) lever | | |
| DL2800SK | Mounted DL2800 demo | Call Factory |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PCI2 | Computer interface cable for Serial connection includes DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable with serial And USB connections includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infrared Printer | 475.00 |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS

DL3000 SERIES – Electronic battery operated digital lock. Holds up to 300 codes, Master, Management, Supervisor & basic user. 150 event schedule, real time clock & 1,600 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory

Backset: 2 3/4" (2 3/8" also available)

Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8" ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available.



| PRODUCT | FINISH | LIST PRICE |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------|
| DL3000 Standard key override | US26D US26, US3, US5, & US10B | 1,015.00 1,070.00 |
| DL3075 Standard key override Regal (curved) lever | US26D US26, US3, US5, & US10B | 1,030.00 1,085.00 |
| DL3000IC* Interchangeable core | US26D US26, US3, US5, & US10B | 1,030.00 1,085.00 |
| DL3075IC* Interchangeable core Regal (curved) lever | US26D US26, US3, US5, & US10B | 1,045.00 1,100.00 |
| DL3000WP Weather proof key override | US26D US26, US3, US4, US5, US10 & US10B | 1,055.00 1,110.00 |
| DL3075WP Weather proof key override Regal (curved) lever | US26D US26, US3, US4, US5, US10 & US10B | 1,070.00 1,030.00 |
| DL3000WPIC* Weather proof interchangeable core | US26D US26, US3, US4, US5, US10 & US10B | 1,070.00 1,230.00 |
| DL3075WPIC* Weather proof interchangeable core Regal (curved) lever | US26D US26, US3, US4, US5, US10 & US10B | 1,085.00 1,145.00 |
| DL3000SK | Mounted DL3000 demo | Call Factory |
| AL-DTMIH | Data Transfer Module | 405.00 |
| AL-PCI2 | Computer interface cable for serial connection with DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial & USB connection with DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra red Printer | 475.00 |

*Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS

DL3200 SERIES – Electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple “one-time” user codes & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: All metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset.
UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL3200 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|--------------------------------------------|-------------------------------------------------------------------------------|--------------|
| DL3200 | US26D | 1,065.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,125.00 |
| DL3275 | US26D | 1,080.00 |
| Standard key override Regal (curved) lever | US26, US3, US4, US5, US10 & US10B | 1,140.00 |
| DL3200IC* | US26D | 1,080.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,140.00 |
| DL3275IC* | US26D | 1,095.00 |
| Interchangeable core Regal (curved) lever | US26, US3, US4, US5, US10 & US10B | 1,155.00 |
| DL3200SK | Mounted DL3200 demo | Call Factory |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PCI2 | Computer interface cable for serial connection with DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial & USB connection with DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra red Printer | 475.00 |

***Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).**

TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL LOCKS

DL5300 SERIES – Double sided electronic battery operated digital lock. Holds up to 2,000 codes, Master, Management, Supervisor & basic user. 500 event schedule, multiple “one-time” user codes & 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability. Key override is only operable on the primary side. The key on the secondary side is used only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad on both sides of
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for 6 & 7 pin Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL5300 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------|-------------------------------------------------------------------------------|--------------|
| DL5300 | US26D | 1,495.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,550.00 |
| DL5375 | US26D | 1,515.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,570.00 |
| Regal (curved) lever | | |
| DL5300IC* | US26D | 1,510.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,565.00 |
| DL5375IC* | US26D | 1,530.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,585.00 |
| Regal (curved) lever | | |
| DL5300SK | Mounted DL5300 demo | Call Factory |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PCI2 | Computer interface cable for serial connection with DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial & USB connection with DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra red Printer | 475.00 |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4100 SERIES - Electronic battery operated digital lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory

Backset: 2 3/4” (2 3/8” also available)

Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included

Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible

Handing: Non-handed

Power: 5 AA alkaline batteries (included)

Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad.

Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes

Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers

Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)

Interchangeable Core Models:
Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL DL4100 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|
| DL4100 | US26D | 800.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 855.00 |
| DL4175 | US26D | 815.00 |
| Standard key override w/Regal (curved) lever | US26, US3, US4, US5, US10 & US10B | 870.00 |
| DL4100IC | US26D | 815.00 |
| Interchangeable core prepped for Best® | US26, US3, US4, US5, US10 & US10B | 870.00 |
| DL4175IC | US26D | 830.00 |
| Interchangeable core prepped for Best® W/Regal (curved) lever | US26, US3, US4, US5, US10 & US10B | 890.00 |
| DL4100SK | Mounted DL4100 Demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |

Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Price Book 2009
TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PDL3000 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple "one-time" user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PDL3000 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------|
| PDL3000K Audit Trail with Keyoverride | US26D | 1,465.00 |
| PDL3000 Standard key override | US26D US26, US3, US4, US5, US10 & US10B | 1,450.00 1,515.00 |
| PDL3075 Standard key override Regal (curved) lever | US26D US26, US3, US4, US5, US10 & US10B | 1,470.00 1,530.00 |
| PDL3000IC* Interchangeable core | US26D US26, US3, US4, US5, US10 & US10B | 1,470.00 1,530.00 |
| PDL3075IC* Interchangeable core Regal (curved) lever | US26D US26, US3, US4, US5, US10 & US10B | 1,490.00 1,545.00 |
| PDL3000SKLE | Mounted PDL3000 demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial Connection includes DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

Price Book 2009
TRILOGY ELECTRONIC DOUBLE SIDED DIGITAL PROXIMITY LOCKS

PDL5300 SERIES – Double sided electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, 40,000 event audit trail. Programmable keypad on both sides of the door. Only primary keypad has data transfer capability Will read most HID card and keyfob formats. Key override is only operable on the primary side. The key on the secondary side is use only to remove the lever and access the batteries.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8” ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA Certified Grade 1 heavy duty cylindrical lockset. UL listed 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models
 Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
 IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin Russwin & Schlage are also available


ALL PDL5300 LOCKS ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------|-------------------------------------------------------------------------------------|--------------|
| PDL5300 | US26D | 1,795.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,850.00 |
| PDL5375 | US26D | 1,815.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,870.00 |
| Regal (curved) lever | | |
| PDL5300IC* | US26D | 1,810.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,865.00 |
| PDL5375IC* | US26D | 1,830.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,885.00 |
| Regal (curved) lever | | |
| PDL5300SK | Mounted PDL3000 demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial Connection includes DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).



Price Book 2009

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS

PL3000 SERIES - Electronic battery operated proximity only lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
 Backset: 2 3/4” (2 3/8” also available)
 Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8” ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Programming: 9 prox programming cards included
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset. UL listed to the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PL3000 PROXIMITY LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------|-------------------------------------------------------------------------------------|--------------|
| PL3000 | US26D | 1,450.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,515.00 |
| PL3075 | US26D | 1,470.00 |
| Standard key override | US26, US3, US4, US5, US10 & US10B | 1,530.00 |
| Regal (curved) lever | | |
| PL3000IC* | US26D | 1,470.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,530.00 |
| PL3075IC* | US26D | 1,490.00 |
| Interchangeable core | US26, US3, US4, US5, US10 & US10B | 1,545.00 |
| Regal (curved) lever | | |
| PL3000SK | Mounted PL3000 Demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever (75).

TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4100 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. Multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

- Door Thickness: Fits 1 5/8” to 1 7/8”. Other thickness, please consult factory
- Backset: 2 3/4” (2 3/8” also available)
- Strike: 1 1/8”x 2 3/4” T strike & 1 1/4” x 4 7/8”
ASA strike included
- Latchbolt: UL Listed, fire rated 3 hours, 1/2” throw reversible
- Handing: Non-handed
- Power: 5 AA alkaline batteries (included)
- Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
- Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
- Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset. UL listed to the 10C Positive Pressure Specification. FCC certified . ADA compliant levers
- Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
- Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks.
IC core models prepped for **6 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PDL4100 LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|--------------------|-------------------------------------------------------------------------------------|--------------|
| PDL4100 | US26D | 1,165.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,225.00 |
| PDL4175 | US26D | 1,180.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,245.00 |
| PDL4100IC | US26D | 1,180.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,245.00 |
| PDL4175IC | US26D | 1,200.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| PDL4100SK | Mounted PDL4100 demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection Includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection Includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

*Add “C” for Corbin, “M” for Medeco, “R” for Sargent, “Y” for Yale and “S” for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever.



Price Book 2009

**TRILOGY ELECTRONIC DIGITAL PROXIMITY LOCKS
WITH PRIVACY & RESIDENCY FEATURES**

PL4100 SERIES - Electronic battery operated proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 5/8" to 1 7/8". Other thickness, please consult factory
 Backset: 2 3/4" (2 3/8" also available)
 Strike: 1 1/8"x 2 3/4" T strike & 1 1/4" x 4 7/8"
 ASA strike included
 Latchbolt: UL Listed, fire rated 3 hours, 1/2" throw reversible
 Handing: Non-handed
 Power: 5 AA alkaline batteries (included)
 Programming: 9 prox programming cards included
 Door prep: Standard ANSI A115 Series prep, modified by adding additional through-bolt holes
 Compliances: BHMA certified Grade 1 heavy duty cylindrical lockset. UL listed to the 10C Positive Pressure Specification. FCC certified . ADA compliant levers
 Cylinder: 6 pin solid brass, SC1 keyway, furnished with all key override locks. Schlage, Corbin-Russwin CL, Sargent 480 series, ASSA 65-611 & Lori cylinders can also be used with HW620 tailpiece (supplied)
 Interchangeable Core Models: Standard model accepts 6 & 7 pin cylinders from Best, Falcon, Arrow, KSP, Medeco Keymark & Kaba Peaks. IC core models prepped for **6 and 7 pin** Yale, Medeco, Sargent, Corbin-Russwin & Schlage are also available



ALL PL4100 LOCK ARE WEATHER RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|--------------------|-------------------------------------------------------------------------------------|--------------|
| PL4100 | US26D | 1,165.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,225.00 |
| PL4175 | US26D | 1,180.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,245.00 |
| PL4100IC | US26D | 1,180.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,245.00 |
| PL4175IC | US26D | 1,200.00 |
| | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| PL4100SK/26D | Mounted PL4100 Demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection Includes DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection Includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

Add "C" for Corbin, "M" for Medeco, "R" for Sargent, "Y" for Yale and "S" for Schlage to end of the part number for specially prepped IC core models. Add \$15.00 to the list price shown above. Note: Schlage IC prep only available in Regal curved lever.



TRILOGY CYLINDRICAL LOCK PARTS

| Part Number | Description | List Price |
|-------------|--------------------------------------------------------------------------------------|------------|
| S6054 | Complete Outside housing for DL2700WP available finishes 26, 26D, 3, 4, 5, 10 & 10B | 295.00 |
| S6126 | Complete outside housing for DL2800WP available finishes 26, 26D, 3, 4, 5, 10 & 10B | 375.00 |
| S6047 | Complete outside housing for DL3000WP available finishes 26, 26D, 3, 4, 5, 10 & 10B | 570.00 |
| S6122 | Complete outside housing for PDL3000 available finishes 26, 26D, 3, 4, 5, 10 & 10B | 890.00 |
| S6163 | Complete outside housing for DL4100 available finishes 26, 26D, 3, 4, 5, 10 & 10B | 430.00 |
| S6164 | Complete outside housing for PDL4100 available finishes 26, 26D, 3, 4, 5, 10 & 10B | 710.00 |
| S6045 | Standard key override lock body complete | 265.00 |
| S6046 | Best prep interchangeable core lock body complete | 265.00 |
| S6045-C/R | Corbin/Sargent prep interchangeable core lock body complete | 295.00 |
| S6045-Y/M | Yale/Medeco prep interchangeable core lock body complete | 295.00 |
| S6045-S | Schlage prep interchangeable core lock body complete | 295.00 |
| HW614 | Outside lever standard prep available finishes 26, 26D, 3, 4, 5, 10 & 10B | 30.00 |
| HW616C | Outside lever Best IC prep available finishes 26, 26D, 3, 4, 5, 10 & 10B | 30.00 |
| HW615 | Inside lever for all cylindrical locks available finishes 26, 26D, 3, 4, 5, 10 & 10B | 30.00 |
| HW592A | Battery Cover available finishes 26, 26D, 3, 4, 5, 10 & 10B | 15.00 |
| P5849 | Latch bolt 2 3/4" available finishes 26, 26D, 3, 4, 5, 10 & 10B | 20.00 |
| S5980-1 | Latch bolt 2 3/8" 26D finish | 20.00 |
| S5980-2 | Latch bolt 2 3/8" US5 finish | 20.00 |
| HW470 | 4 7/8" strike available finishes 26, 26D, 3, 4, 5, 10 & 10B | 10.00 |
| HW577 | 2 3/4" strike available finishes 26, 26D, 3, 4, 5, 10 & 10B | 10.00 |
| HW596 | Standard cylinder w/2 keys available finishes 26D, 3, 10 & 10B | 20.00 |
| S6148 | Lever return spring | 3.00 |
| S6061 | Replacement battery pack cylindrical | 40.00 |
| S6172 | Replacement battery pack Double sided | 25.00 |
| HW580 | Schlage® key override tailpiece for Cylindrical locks | 6.00 |
| HW620 | Lori® key override tailpiece for Cylindrical locks | 6.00 |
| HW597 | Alarm Lock cylindrical key override tailpiece | 6.00 |
| HW598 | Cylindrical Interchangeable core Tailpiece Best prep | 6.00 |



TRILOGY CYLINDRICAL LOCK PARTS (con't)

| Part Number | Description | List Price |
|-------------|-----------------------------------------|------------|
| WA160A | Washer used on HW620, HW597 & HW 598 | 3.00 |
| S6072 | Set of spacers for doors 1 3/8" or less | 60.00 |
| CW-27AB | Wrap around plate in US5 | 60.00 |
| CW-27PB | Wrap around plate in US3 | 60.00 |
| CW-27S | Wrap around plate US32D | 60.00 |
| DL2700DJ | Drilling Jig for cylindrical locks | 340.00 |

TRILOGY LOCK ACCESSORIES

| | | |
|--------------------|-------------------------------------------------------------------------------------|--------|
| AL-PCI2 | Computer interface cable for serial Connection includes DL-Windows Software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |



Price Book 2009

TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS
DL3500 SERIES - Electronic battery operated digital mortise lock. Holds
up to 300 codes, Master, Management, Supervisor & basic
user. 500 event schedule, real time clock & 40,000 event audit trail.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed
 through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by
 adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications
 For Grade 1 locks. UL listed to the 10C Positive
 Pressure Specification. FCC Certified. ADA
 compliant levers
 Functions: Classroom function feature stainless steel latchbolt
 With 3/4" (1.91cm) projection and deadlocking latch
 Deadbolt function feature stainless steel deadbolt with
 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm)
 projection and deadlocking latch Deadbolt may be
 projected from key cylinder from outside door or
 turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will
 Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise
 Cylinder. Classroom function supplied with straight
 Cam and deadbolt function supplied with cloverleaf
 Cam
 Cams: Cams for other manufacturer's cylinders are available
 See "Mortise Lock accessories" for part numbers &
 Manufacturers



ALL DL3500 MORTISE LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------------------|-----------------------------------|-------------------|
| DL3500CRR | | |
| Straight lever classroom function | US26D | 1,190.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| DL3500CRL | | |
| Straight lever classroom function | US26D | 1,190.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| DL3500DBR | | |
| Straight lever deadbolt function | US26D | 1,190.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| DL3500DBL | | |
| Straight lever deadbolt function | US26D | 1,190.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 1,255.00 |
| DL3575CRR | | |
| Regal (curved) lever classroom | US26D | 1,205.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 1,270.00 |
| DL3575CRL | | |
| Regal (curved) lever classroom | US26D | 1,205.00 |
| Function left hand | US26, US3, US4, US5, US10 & US10B | 1,270.00 |
| DL3575DBR | | |
| Regal (curved) lever deadbolt | US26D | 1,205.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 1,270.00 |
| DL3575DBL | | |
| Regal (curved) lever deadbolt | US26D | 1,205.00 |
| Function left hand | US26, US3, US4, US5, US10 & US10B | 1,270.00 |



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS (con't)

| PRODUCT | DESCRIPTION | LIST PRICE |
|-----------|----------------------------------------------------------------------------------------|--------------|
| DL3500SK | Mounted sales kit, straight lever. Available in classroom or deadbolt function. | Call Factory |
| DL3575SK | Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function. | Call Factory |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra red Printer | 475.00 |

MORTISE LOCK PARTS

| CLASSROOM FUNCTION CAMS | DESCRIPTION | LIST PRICE |
|-------------------------|------------------------------------|------------|
| HW956-L | Alarm Lock Standard Straight Cam | 3.00 |
| HW956-M | Marks Straight Cam | 3.00 |
| HW956-C | Corbin-Russwin Straight Cam | 3.00 |
| HW956-S | Schlage Straight Cam | 3.00 |
| HW956-A | Arrow Straight Cam | 3.00 |
| HW956-R | Sargent Straight Cam | 3.00 |
| DEADBOLT FUNCTION CAMS | | |
| HW957-L | Alarm Lock Standard Cloverleaf Cam | 3.00 |
| HW957-M | Marks Cloverleaf Cam | 3.00 |
| HW957-C | Corbin-Russwin Cloverleaf Cam | 3.00 |
| HW957-S | Schlage Cloverleaf Cam | 3.00 |
| HW957-A | Arrow Cloverleaf Cam | 3.00 |
| HW957-S | Sargent Cloverleaf Cam | 3.00 |
| HW1141-S | Schlage IC Cloverleaf Cam | 3.00 |

| | | |
|----------|-------------------------------------------------------------------------------|--------|
| S6123 | Mortise lock complete outside housing available in 26, 26D, 3, 4, 5, 10 & 10B | 860.00 |
| HW1221D | Outside lever support spring | 3.00 |
| HW838E | Inside Lever support spring | 3.00 |
| HW820D | Inside & outside regal lever available in 26, 26D, 3, 4, 5, 10 & 10B | 35.00 |
| HW819C | Inside & outside straight lever available in 26, 26D, 3, 4, 5, 10 & 10B | 35.00 |
| HW904DBR | Right hand deadbolt lock body | 145.00 |
| HW903DBL | Left hand deadbolt lock body | 145.00 |
| HW870CRL | Left Hand Classroom lock body | 145.00 |
| HW875CRR | Right hand Classroom lock body | 145.00 |
| S6065 | Replacement Battery Pack | 30.00 |



TRILOGY ELECTRONIC DIGITAL MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

DL4500 SERIES - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Privacy feature will lock out all users for programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: All metal, 12 button. All functions programmed through keypad.
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified. ADA compliant levers
 Functions: Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 3/8" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL DL4500 LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|----------------------------------|----------------------------------------------------------------------------------------|--------------|
| DL4500DBR | | |
| Straight lever deadbolt function | US26D | 890.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 945.00 |
| DL4500DBL | | |
| Straight lever deadbolt function | US26D | 890.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 945.00 |
| DL4575DBR | | |
| Regal (curved) lever deadbolt | US26D | 905.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 960.00 |
| DL4500SK | Mounted sales kit, straight lever. Available in classroom or deadbolt function. | Call Factory |
| DL4575SK | Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function. | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |



Price Book 2009

TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS

PDL3500/PL3500 - Electronic battery operated digital mortise lock. Holds up to 2000 user codes, Master, Management, Supervisor & basic user. 500 scheduled events, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats.

SPECIFICATIONS:

Door Thickness: Fits 1 3/8" to 1 7/8" (4.46cm).
 Backset: 2 3/4" standard
 Strike: 1 1/4" x 4 7/8" strike included
 Handing: Specify RH or LH when ordering, lock is reversible
 In the field
 Power: 5 AA alkaline batteries (included)
 Keypad: Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
 Door prep: Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes
 Compliances: Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers
 Functions: Classroom function feature stainless steel latchbolt With 3/4" (1.91cm) projection and deadlocking latch Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door
 Cylinder: 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Classroom function supplied with straight Cam and deadbolt function supplied with cloverleaf Cam
 Cams: Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers



ALL PDL3500 LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------------------------------|-----------------------------------|------------|
| PDL3500CRR | | |
| Straight lever classroom function | US26D | 1,530.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 1,590.00 |
| PDL3500CRL | | |
| Straight lever classroom function | US26D | 1,530.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 1,590.00 |
| PDL3500DBR | | |
| Straight lever deadbolt function | US26D | 1,530.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 1,590.00 |
| PDL3500DBL | | |
| Straight lever deadbolt function | US26D | 1,530.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 1,590.00 |
| PDL3575CRR | | |
| Regal (curved) lever classroom | US26D | 1,545.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 1,605.00 |
| PDL3575CRL | | |
| Regal (curved) lever classroom | US26D | 1,545.00 |
| Function left hand | US26, US3, US4, US5, US10 & US10B | 1,605.00 |



Price Book 2009

TRILOGY ELECTRONIC PROXIMITY MORTISE LOCKS (con't)

| PRODUCT | DESCRIPTION | LIST PRICE |
|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------|
| PDL3575DBR Regal (curved) lever deadbolt Function right hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| PDL3575DBL Regal (curved) lever deadbolt Function left hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| PDL3500SK/26D | Mounted sales kit, straight lever. Available in classroom or deadbolt function. | Call Factory |
| PDL3575SK/26D | Mounted sales kit, Regal curved lever. Available in classroom or deadbolt function. | Call Factory |
| PL3500CRR Straight lever classroom function Right hand | US26D US26, US3, US4, US5, US10 & US10B | 1,530.00 1,590.00 |
| PL3500CRL Straight lever classroom function Left Hand | US26D US26, US3, US4, US5, US10 & US10B | 1,530.00 1,590.00 |
| PL3500DBR Straight lever deadbolt function Right hand | US26D US26, US3, US4, US5, US10 & US10B | 1,530.00 1,590.00 |
| PL3500DBL Straight lever deadbolt function Left Hand | US26D US26, US3, US4, US5, US10 & US10B | 1,530.00 1,590.00 |
| PL3575CRR Regal (curved) lever classroom Function right hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| PL3575CRL Regal (curved) lever classroom Function left hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| PL3575DBR Regal (curved) lever deadbolt Function right hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| PL3575DBL Regal (curved) lever deadbolt Function left hand | US26D US26, US3, US4, US5, US10 & US10B | 1,545.00 1,605.00 |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

TRILOGY ELECTRONIC DIGITAL PROXIMITY MORTISE LOCKS WITH PRIVACY & RESIDENCY FEATURES

PDL4500 - Electronic battery operated digital proximity lock. Holds up to 2000 codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Will read most HID card and keyfob formats. Privacy feature will lock out all users for a programmed amount of time. Residency feature-allows exiting without having to lock the door.

SPECIFICATIONS:

| | |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Door Thickness: | Fits 1 3/8" to 1 7/8" (4.46cm). |
| Backset: | 2 3/4" standard |
| Strike: | 1 1/4" x 4 7/8" strike included |
| Handing: | Specify RH or LH when ordering, lock is reversible In the field |
| Power: | 5 AA alkaline batteries (included) |
| Keypad: | Weatherproof all metal, 12 button. All functions programmed through keypad. Proximity antenna housing molded of ultra high strength, impact resistant Lexan® |
| Door prep: | Standard ANSI A115 Mortise prep, modified by adding additional through-bolt holes |
| Compliances: | Steelcase lockbody meets BHMA specifications For Grade 1 locks. UL listed to the 10C Positive Pressure Specification. FCC Certified . ADA compliant levers |
| Functions: | Deadbolt function feature stainless steel deadbolt with 1" (2.55cm) projection, latchbolt with 3/4" (1.91cm) projection and deadlocking latch Deadbolt may be projected from key cylinder from outside door or turn-piece from inside door |
| Cylinder: | 1 3/8" (3.5cm) mortise cylinder supplied. Will Accept 1 1/4" to 1 1/2" (3.5 – 3.82cm) mortise Cylinder. Deadbolt function supplied with cloverleaf cam |
| Cams: | Cams for other manufacturer's cylinders are available See "Mortise Lock accessories" for part numbers & Manufacturers |



ALL PDL4500 LOCKS ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|----------------------------------|-------------------------------------------------------------------------------------------|--------------|
| PDL4500DBR | | |
| Straight lever deadbolt function | US26D | 1,295.00 |
| Right hand | US26, US3, US4, US5, US10 & US10B | 1,355.00 |
| PDL4500DBL | | |
| Straight lever deadbolt function | US26D | 1,295.00 |
| Left Hand | US26, US3, US4, US5, US10 & US10B | 1,355.00 |
| PDL4575DBR | | |
| Regal (curved) lever deadbolt | US26D | 1,310.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 1,370.00 |
| PDL4575DBL | | |
| Regal (curved) lever deadbolt | US26D | 1,310.00 |
| Function right hand | US26, US3, US4, US5, US10 & US10B | 1,370.00 |
| PDL4500SK/26D | Mounted Sales Demo | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 USB Adapter | | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIH | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |



ALARM LOCK

Price Book 2009

MORTISE LOCK ACCESSORIES

| | | |
|-----------|-----------------------------------------------------------|--------|
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

MORTISE LOCK PARTS

| | | |
|--------------------------------|------------------------------------|------|
| CLASSROOM FUNCTION CAMS | | |
| HW956-L | Alarm Lock Standard Straight Cam | 3.00 |
| HW956-M | Marks Straight Cam | 3.00 |
| HW956-C | Corbin-Russwin Straight Cam | 3.00 |
| HW956-S | Schlage Straight Cam | 3.00 |
| HW956-A | Arrow Straight Cam | 3.00 |
| HW956-R | Sargent Straight Cam | 3.00 |
| DEADBOLT FUNCTION CAMS | | |
| HW957-L | Alarm Lock Standard Cloverleaf Cam | 3.00 |
| HW957-M | Marks Cloverleaf Cam | 3.00 |
| HW957-C | Corbin-Russwin Cloverleaf Cam | 3.00 |
| HW957-S | Schlage Cloverleaf Cam | 3.00 |
| HW957-A | Arrow Cloverleaf Cam | 3.00 |
| HW957-S | Sargent Cloverleaf Cam | 3.00 |
| HW1141-S | Schlage IC Cloverleaf Cam | 3.00 |

| | | |
|----------|-------------------------------------------------------------------------------|--------|
| S6123 | Mortise lock complete outside housing available in 26, 26D, 3, 4, 5, 10 & 10B | 860.00 |
| HW1221D | Outside lever support spring | 3.00 |
| HW838E | Inside Lever support spring | 3.00 |
| HW820D | Inside & outside regal lever available in 26, 26D, 3, 4, 5, 10 & 10B | 35.00 |
| HW819C | Inside & outside straight lever available in 26, 26D, 3, 4, 5, 10 & 10B | 35.00 |
| HW904DBR | Right hand deadbolt lock body | 145.00 |
| HW903DBL | Left hand deadbolt lock body | 145.00 |
| HW870CRL | Left Hand Classroom lock body | 140.00 |
| HW875CRR | Right hand Classroom lock body | 140.00 |
| S6065 | Replacement Battery Pack | 30.00 |



TRILOGY NARROW STYLE LOCK PRODUCTS

DL1200 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 4500, 4700 & 4900 series deadlatch. 4070, MS1850S & MS1950S series deadbolts. 100 user codes, master, Manager, basic user and 3 “one-time” user codes.



SPECIFICATIONS:

- Door thickness:** supports style 1 3/4” only
- Backset:** supports 31/32”, 1 1/8”, & 1 1/2”
- Latch:** works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
- Handing:** non-handed
- Power:** uses 2 DL123A lithium batteries
- Keypad:** all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
- Cylinder:** supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
- Cams:** cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL DL1200 SERIES LOCKS ARE WEATHER-RESISTANT

| PRODUCT | DESCRIPTION | LIST PRICE |
|-------------|--------------------------------------------------------------------------------------------------------------------------|------------|
| DL1200/26D1 | Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish | 530.00 |
| DL1200/10B1 | Lever set works with Adams Rite® 4500, 4700 & 4900 series deadlatch 10B finish | 530.00 |
| DL1225/26D2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 530.00 |
| DL1225/10B2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish | 530.00 |
| DL1250/26D2 | Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 530.00 |
| DL1250/10B2 | Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish | 530.00 |
| DL1200/26D3 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8” backset | 720.00 |
| DL1200/26D4 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2” backset | 720.00 |

TRILOGY NARROW STYLE LOCK PRODUCTS

DL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 2,000 user codes, master, Manager, basic user and multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 3/4” only
Backset: supports 31/32”, 1 1/8”, & 1 1/2”
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available



ALL DL1300 SERIES LOCKS ARE WEATHER RESISTANT

| PRODUCT | DESCRIPTION | LIST PRICE |
|-------------|-----------------------------------------------------------------------------------------------------------------------|------------|
| DL1300/26D1 | Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish | 695.00 |
| DL1300/10B1 | Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 10B finish | 665.00 |
| DL1325/26D2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 665.00 |
| DL1325/10B2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish | 665.00 |
| DL1350/26D2 | Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 665.00 |
| DL1350/10B2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish | 665.00 |
| DL1300/26D3 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8” backset | 735.00 |
| DL1300/26D4 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2” backset | 735.00 |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |



TRILOGY NARROW STILE LOCK PRODUCTS

PDL1300 SERIES – Aluminum door retrofit outside trim. Works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 series spring latch and MS1850S & MS1950S series deadbolts. 2,000 user codes, master, Manager, basic user and multiple “one-time” user codes. Proximity capabilities. 500 event schedule, real time clock & 40,000 event audit trail.



SPECIFICATIONS:

Door thickness: supports style 1 3/4” only
Backset: supports 31/32”, 1 1/8”, & 1 1/2”
Latch: works with Adams Rite® 1850, 1950, 4710, 4070, 4730, 4900 Series spring latch and MS1850S & MS1950S series deadbolts
Handing: non-handed
Power: uses 2 DL123A lithium batteries
Keypad: all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes and HID proximity cards and fobs. Proximity antenna housing molded of ultra high strength, impact resistant Lexan®
Cylinder: supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
Cams: cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available

ALL NARROW STILE LOCKS ARE WEATHER RESISTANT

| PRODUCT | DESCRIPTION | LIST PRICE |
|--------------|-----------------------------------------------------------------------------------------------------------------------|------------|
| PDL1300/26D1 | Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 26D finish | 935.00 |
| PDL1300/10B1 | Lever set works with Adams Rite® 4500, 4700, & 4900 series deadlatch 10B finish | 935.00 |
| PDL1325/26D2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 935.00 |
| PDL1325/10B2 | Turn piece works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 10B finish | 935.00 |
| PDL1350/26D2 | Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 935.00 |
| PDL1350/10B2 | Knob works with Adams Rite® 4500, 4700, 4900 series deadlatch. 4070, MS1850S, MS1950 series deadbolt 26D finish | 935.00 |
| PDL1300/26D3 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/8” backset | 1,105.00 |
| PDL1300/26D4 | Lever set includes Adams Rite® 4900 latch 26D finish supports 1 1/2” Backset | 1,105.00 |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |



TRILOGY NARROW STYLE LOCK PRODUCTS (con't)

| | | |
|--------------------|-------------------------------------------------------------------------------------|--------|
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows Software | 220.00 |
| MX1130 USB Adapter | Computer interface cable for serial and USB connection includes DL-Windows software | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

PARTS

| STANDARD MORTISE CAMS | DESCRIPTION | LIST PRICE |
|----------------------------|-----------------------------------|------------|
| HW1344 | Corbin-Russwin standard cam | 3.00 |
| HW1346 | Marks standard cam | 3.00 |
| HW1348 | Arrow & Sargent standard cams | 3.00 |
| HW1349 | Schlage standard cam | 3.00 |
| IC MORTISE CAMS | | |
| HW1345 | Corbin-Russwin IC cam | 4.00 |
| HW1347 | Medeco IC cam | 4.00 |
| HW1350 | Schlage IC cam | 4.00 |
| HW1343 | Best IC cam | 4.00 |
| S6169-26D | Best IC housing with cam attached | 35.00 |
| Replacement Battery | | |
| S6161 | Inside Battery Kit | 49.00 |
| S6170 | Replacement Battery | 28.00 |

HOW TO ORDER THE TRILOGY NARROW STILE LOCKS

Last two digits of the part number are

Used with Adams Rite Product

00 Straight Lever

4500, 4700 & 4900 Series Only

25 Turnpiece

**4500, 4700 & 4900 Series
MS1850, MS1950 & 4070 Series**

50 Knob

**4500, 4700 & 4900 Series
MS1850, MS1950 & 4070 Series**



TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

DL1200ET, DL1300ET & PDL1300ET SERIES - Aluminum door retrofit outside trim. Works with Arrow, DCI, Von Duprin, Corbin, Dor-o-matic, Dorma & Jackson. DL1200ET has 100 user codes, master, Manager, basic user and 3 “one-time” user codes. DL1300ET & PDL1300ET have 2,000 user codes, multiple “one-time” user codes. 500 event schedule, real time clock & 40,000 event audit trail. PDL1300ET also has proximity capabilities.



SPECIFICATIONS:

- Door thickness:** supports style 1 3/4” only
- Handing:** non-handed
- Power:** uses 2 DL123A lithium batteries
- Keypad:** all metal, vandal resistant 12 button keypad supports 3-5 digit PIN codes
- Cylinder:** supplied with 6 pin mortise standard mortise cylinder SC1 Keyway. Use 1 3/8” or 1 1/2” cylinders
- Cams:** cam supplied works with generic Alarm Lock cylinder. Other Standard cams available for Corbin-Russwin, Marks, Arrow, Sargent & Schlage. IC type cams for Best, Corbin-Russwin, Medeco, Schlage & Yale are also available



Tailpieces must be used with the Panic Devices see page 32

ALL NARROW STILE/EXIT LOCKS ARE WEATHER RESISTANT

| PRODUCT | DESCRIPTION | LIST PRICE |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------|
| DL1200ET/26D STRAIGHT LEVER 100 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 530.00 |
| DL1200ET//10B STRAIGHT LEVER 100 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 530.00 |
| DL1225ET/26D TURNPIECE 100 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 530.00 |
| DL1225ET/10B TURNPIECE 100 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 530.00 |
| DL1250ET/26D KNOB 100 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 530.00 |



Price Book 2009

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

| | | |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------|
| DL1250ET/10B KNOB 100 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 530.00 |
| DL1300ET/26D STRAIGHT LEVER 2,000 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 695.00 |
| DL1300ET/10B STRIGHT LEVER 2,000 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 695.00 |
| DL1325ET/26D TURNPIECE 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 695.00 |
| DL1325ET/210B TURNPIECE 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 635.00 |
| DL1350ET/26D KNOB 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 695.00 |
| DL1350ET/10B KNOB 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 695.00 |
| PDL1300ET/26D STRAIGHT LEVER 2,000 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 935.00 |
| PDL1300ET/10B STRAIGHT LEVER 2,000 user codes | Narrow Stile Lock for Arrow S1200/S1250, DCI 1200/1300, Von Duprin 22, Corbin ED8200 & Von Duprin 33 panic devices | 935.00 |
| PDL1325ET/26D TURNPIECE 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 935.00 |
| PDL1325ET/10B TURNPIECE 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 935.00 |
| PDL1350ET/26D KNOB 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 935.00 |
| PDL1350ET/10B KNOB 2,000 user codes | Narrow Stile lock for Dor-o-Matic 2090, Jackson 1095 & Dorma 5300 panic devices | 935.00 |



Price Book 2009

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS (CON'T)

Tailpieces must be used with the Panic Devices as shown below

| TAILPIECE PART NUMBER | PANIC DEVICE | LIST PRICE |
|-----------------------|-------------------------------------------------------------------------------------|------------|
| TP-1691 | Used with Arrow S1200/1250, DCI 1200/1300, Von Duprin 22 & Dorma 5300 Panic Devices | 45.00 |
| TP-1692 | Used with Dor-o-Matic 2090 Panic Device | 45.00 |
| TP-1693 | Used with Corbin ED8200 Panic Device | 45.00 |
| TP-1694 | Used with Von Duprin 33 Panic Device | 45.00 |
| TP-1698 | Used with Jackson 1095 Panic Device | 45.00 |

TRILOGY NARROW STYLE/EXIT LOCK PRODUCTS

PARTS AND ACCESSORIES

| ACCESSORIES | DESCRIPTION | LIST PRICE |
|-------------|-------------------------------------------------------------------------------------|------------|
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows Software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 Per Box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |
| ALHID1346 | Proximity keyfob 10 per box | 105.00 |

PARTS

| STANDARD MORTISE CAMS | DESCRIPTION | LIST PRICE |
|----------------------------|-----------------------------------|------------|
| HW1344 | Corbin-Russwin standard cam | 3.00 |
| HW1346 | Marks standard cam | 3.00 |
| HW1348 | Arrow & Sargent standard cams | 3.00 |
| HW1349 | Schlage standard cam | 3.00 |
| IC MORTISE CAMS | | |
| HW1345 | Corbin-Russwin IC cam | 4.00 |
| HW1347 | Medeco IC cam | 4.00 |
| HW1350 | Schlage IC cam | 4.00 |
| HW1343 | Best IC cam | 4.00 |
| S6169-26D | Best IC housing with cam attached | 35.00 |
| Replacement Battery | | |
| S6161 | Inside Battery Kit | 49.00 |
| S6170 | Replacement Battery | 28.00 |




TRILOGY EXIT TRIM PRODUCTS

Battery operated Trilogy outside trim works with Von Duprin 99, Corbin ED5000, Yale 7100, Dorma 9300, Arrow 3800, Sargent 8800, Precision 1100, 2100 & Cal Royal 9800 series panic devices. Available in DL series (keypad) or PDL (prox/keypad) formats. Features include 2,000 user codes, 500 scheduled events and 40,000 event audit trail.

SPECIFICATIONS:

- Cylinder: Uses standard rim cylinder to operate key override function. Will accept 6 or 7 pin interchangeable core cylinders – see below.
- Handing: Non-handed
- Power: 5 AA alkaline batteries (included) mounted on inside of door.
- Keypad: Weather-resistant all metal, 12 button. All functions Programmable through the keypad.
PDL version proximity antenna housing molded of ultra high strength, impact resistant Lexan®



ALL ET SERIES LOCKS ARE WEATHER-RESISTANT

| PRODUCT | DESCRIPTION | LIST PRICE |
|---------------------------------------|----------------------------------|------------|
| ETDL series | 26D Finish | 1,040.00 |
| ETDL series | US3, US5, US26 & 10B Finish | 1,095.00 |
| ETDL series w/Regal lever | 26D Finish | 1,055.00 |
| ETDL series w/Regal lever | US3, US5, US26 & 10B Finish | 1,105.00 |
| ETPDL series | 26D Finish | 1,360.00 |
| ETPDL series | US3, US5, US26 & 10B Finish | 1,415.00 |
| ETPDL series w/Regal lever | 26D Finish | 1,375.00 |
| ETPDL series w/Regal lever | US3, US5, US26 & 10B Finish | 1,430.00 |
| ETPL series | 26D Finish | 1,360.00 |
| ETPL series | US3, US5, US26 & 10B Finish | 1,415.00 |
| ETPL series w/Regal lever | 26D Finish | 1,375.00 |
| ETPL series w/Regal lever | US3, US5, US26 & 10B Finish | 1,430.00 |
| Specify finish on adapter kit | Alarm Lock Standard Rim Cylinder | |
| ET- AL Finish = 26, 26D, 3, 5, 10B | Adapter kit (Schlage C keyway) | 45.00 |
| ET- AR Finish = 26, 26D, 3, 5, 10B | Arrow Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET- AS Finish = 26, 26D, 3, 5, 10B | ASSA Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - C Finish = 26, 26D, 3, 5, 10B | Corbin Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - M Finish = 26, 26D, 3, 5, 10B | Medeco Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - R Finish = 26, 26D, 3, 5, 10B | Sargent Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - S Finish = 26, 26D, 3, 5, 10B | Schlage Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - Y Finish = 26, 26D, 3, 5, 10B | Yale Standard Rim Cylinder | |
| | Adapter kit | 45.00 |
| ET - ARIC Finish = 26, 26D, 3, 5, 10B | Arrow IC 6 & 7 Pin Rim Cylinder | |
| | Adapter kit | 65.00 |
| ET - BIC Finish = 26, 26D, 3, 5, 10B | Best IC 6 & 7 Pin Rim Cylinder | |
| | Adapter kit | 65.00 |
| ET - CIC Finish = 26, 26D, 3, 5, 10B | Corbin IC Rim Cylinder | |
| | Adapter kit | 65.00 |
| ET - MIC Finish = 26, 26D, 3, 5, 10B | Medeco IC 6 & 7 Pin Rim Cylinder | |
| | Adapter kit | 65.00 |



TRILOGY EXIT TRIM PRODUCTS (CONT'D)

| Product | Description | LIST PRICE |
|--------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------|
| ET - RIC Finish = 26, 26D, 3, 5, 10B | Sargent IC Rim Cylinder Adapter kit | 65.00 |
| ET - SIC Finish = 26, 26D, 3, 5, 10B | Schlage IC Rim Cylinder Adapter kit | 65.00 |
| ET - YIC Finish = 26, 26D, 3, 5, 10B | Yale IC 6 Pin Rim Cylinder Adapter kit | 65.00 |
| ETDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11 | Mounted sales kit For demo purposes | Call Factory |
| ETPDLSKZ/26D V99, C50, A38, D93, Y71, S88, CR8, P11 | Mounted sales kit For demo purposes | Call Factory |
| AL-PCI2 | Computer interface cable for serial connection Includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection Includes DL-Windows Software | 220.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AI-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 per box | 460.00 |
| ALHID1336 | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 810.00 |
| ALHID1346 | Proximity keyfob packed 10 per box | 105.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |

TRILOGY EXIT TRIM PRODUCTS PARTS

EXTENDED SPINDLES CAN BE PURCHASED SEPARATELY

| | | |
|------------------------------|----------------------------------------------------|-------|
| HW970J-5 Extended Spindle | Will fit 2 - 2 3/4" doors | 45.00 |
| HW970J-6 Extended Spindle | Will fit 3 - 4" doors | 50.00 |
| HW970J-7 Extended Spindle | Will fit 4 1/4 - 5" doors | 55.00 |
| SC544 | Extended screws with adjustable Lengths 4 per unit | 14.00 |
| 9ETBATCASE | Replacement Battery | 40.00 |
| HW1221D | Lever return spring | 3.00 |

PLEASE SEE "HOW TO ORDER" CHART ON PAGE 18 TO PROPERLY ORDER YOUR TRILOGY EXIT TRIM.

IF YOU REQUIRE THE LOCK TO BE PREPPED FOR A THICKER DOOR, YOU MUST ORDER BASED ON THE SELECTIONS SHOWN. THE BASIC MODEL IS PREPPED FOR A 1 5/8" TO 1 7/8" DOOR.

****** PRECISION 2100 SERIES WILL WORK WITH THE VON DUPRIN 99 PREP. YOU MUST GET A MOUNTING PLATE PART # 2141208 FROM PRECISION******

HOW TO ORDER YOUR TRILOGY EXIT LOCK

Below is a "How to Order" guide for the Trilogy Exit Trim products. Please follow this guide when placing orders to avoid any delay in processing your order.

All units are sold with a generic cylinder adapter installed. When you are using a specific Brand of rim cylinder, you must purchase a Cylinder Adapter Kit from the chart below.

ETPDLS1G/26DV99

TYPE

PDL Digital w/Prox
 PL Prox only
 DL Keypad only

HANDLE

R-Regal
 S-Straight

DOOR THICKNESS

1=1 3/4" + 1/8"
 2=2" to 2 3/4"
 3=3" to 4"

G= generic rim cylinder & adapter kit included in all locks

COMPATABLE PANIC DEVICES

V99 – VonDuprin 99(P21)
 C50 – Corbin ED5000 and
 Y71 - Yale 7100
 D93 – Dorma 9300
 A38 – Arrow 3800
 S88 – Old Style Sargent 8800
 NS8 – New Style Sargent 8800
 P11 - Precision 1100
 CR8 – Cal Royal 9800

FINISH

26D = satin chrome
 10B = duronodic
 26 = polished chrome
 3 = polished brass
 5 = antique brass

CYLINDER ADAPTER KITS

You must choose one of the cylinder adapter kits below if you are using a name brand cylinder in the lock.

| | |
|-----------|------------------------------------------|
| ET - AL | - Alarm Lock standard (Schlage C keyway) |
| ET - BIC | - Best IC 6 & 7 pin |
| ET - S | - Schlage standard rim |
| ET - SIC | - Schlage IC |
| ET - R | - Sargent standard rim |
| ET - RIC | - Sargent IC |
| ET - Y | -Yale standard rim |
| ET - YIC | -Yale IC 6 pin |
| ET - C | - Corbin standard rim |
| ET - CIC | - Corbin IC |
| ET - M | - Medeco standard rim |
| ET - MIC | - Medeco IC 6 & 7 pin |
| ET - AR | - Arrow standard rim |
| ET - ARIC | - Arrow IC 6 & 7 pin |
| ET - AS | - ASSA standard rim |

Please note that Precision 2100 series will match up to the Von Duprin 99 series Trilogy. You must get a mounting plate #2141208 from Precision.



TRILOGY ELECTRONIC DIGITAL KEYPAD

DK3000/PDK3000 Series - Electronic digital keypad. Available in keypad only and keypad plus prox. Holds up to 2,000 user codes, Master, Management, Supervisor & basic user. 500 event schedule, real time clock & 40,000 event audit trail. Prox unit will read most HID cards and keyfobs.

Specifications:

- Wall mount :** Single gang box mounting .
- Wiring :** Unit provides flying leads for power, relays, tamper and remote Release.
- I/O Specs:** 2 form C relays 5AMP minimum contact rating. Red & green LED Indicators. 1 remote release input. Sounder and tamper.
- Power:** Operating voltage 12-24VAC/DC field selectable.



Power supply required. See page 37 for power Supplies ALP-12V1A-KIT & ALP-12V3A-KIT

ALL DK3000/PDK3000 ARE WEATHER-RESISTANT

| PRODUCT | FINISH | LIST PRICE |
|-----------|-------------------------------------------------------------------------------------|------------|
| DK3000 | Metalic silver (MS) | 540.00 |
| | Metalic bronze(MB) US26, US26D, US3, US5 & US10B | 660.00 |
| PDK3000 | Metalic silver (MS) | 840.00 |
| | Metalic bronze(MB) US26, US26D, US3, US5 & US10B | 955.00 |
| AL-PCI2 | Computer interface cable for serial connection includes DL-Windows software | 115.00 |
| ALPCI2-U | Computer interface cable for serial and USB connection includes DL-Windows software | 220.00 |
| MX1130 | USB Adapter | 105.00 |
| AL-IR1 | Infra-red Printer | 475.00 |
| AL-DTMIII | Data Transfer Module | 405.00 |
| AL-PRE | Prox Card Enroller | 540.00 |
| ALHID1326 | Proximity Access Cards 100 per box | 460.00 |
| | Proximity, Magnetic Stripe and Photo ID cards 100 per box | 935.00 |
| ALHID1386 | Proximity and Photo ID Card 100 per box | 845.00 |
| | Proximity keyfob packed 10 per box | 105.00 |
| ALHID1346 | Proximity keyfob packed 10 per box | 105.00 |
| ALHID1391 | MicroProx Tag 10 per box | 75.00 |



Price Book 2009

A SERIES KEYPADS – Designed to control access of a single entry Point. Up to 150 user codes. Stainless Steel Face plates. Interior and exterior use.

| PRODUCT | DESCRIPTION | LIST PRICE |
|----------------|-----------------------------------------------|-------------------|
| A-100 | Interior use keypad 150 users | 125.00 |
| A-100WP | Exterior keypad vandal resistant 150 Users | 395.00 |
| A-100IMWP | Exterior illuminated mullion keypad 150 users | 350.00 |

GENERAL POWER SUPPLIES

| | | |
|----------------|---------------------------------------------------------------------|--------|
| ALP-12V1A-KIT | 12v 1.5 Amp Linear Power Supply in can with battery and transformer | 100.00 |
| ALP-12V3A-KIT | 12 v 3 Amp Linear Power Supply in can with battery and transformer | 140.00 |
| ALP-LPS6-24VDC | 1.5 Amp Linear Power Supply,6,12,24V | 20.00 |
| ALP-P3A | 3 Amp Power supply,6,12,24VDC | 55.00 |
| ALP-P5A | 5 Amp Power supply,6,12,24VDC | 90.00 |
| ALP-P10A | 10 Amp Power supply,6,12,24VDC | 225.00 |
| ALP-P3ASUP | 3 Amp Supervised Power Supply,6,12,24VDC | 90.00 |
| ALP-P5ASUP | 5 Amp Supervised Power Supply,6,12,24VDC | 120.00 |
| ALP-P7ASUP | 7 Amp Supervised Power Supply,6,12,24VDC | 175.00 |
| ALP-P10ASUP | 10 Amp Supervised Power Supply,6,12,24VDC | 250.00 |

TRANSFORMERS

| | | |
|--------------|--------------------|--------|
| ALP-TRF1650 | 16VAC 50VA PLUG-IN | 15.00 |
| ALP-TRF2450 | 24VAC 50VA PLUG-IN | 15.00 |
| ALP-TRF24100 | 24VAC 100VA | 50.00 |
| ALP-TRF28100 | 28VAC 100VA | 60.00 |
| ALP-TRF28175 | 28VAC 175VA | 75.00 |
| ALP-TRF28300 | 28VAC 300VA | 180.00 |



CCTV POWER SUPPLIES

| | | |
|----------------|-------------------------------------------------|--------|
| ALP-4CC615DCUL | 4 Camera, 6 to 15DCV, 2.5A CCTV PS in Enclosure | 120.00 |
| ALP-8CC615DCUL | 8 Camera, 6 to 15DCV, 4A CCTV PS in Enclosure | 230.00 |
| ALP-CC24AC4UL | 4 camera 4A, 24VAC CCTV PS in Enclosure | 100.00 |
| ALP-CC24AC8UL | 8 camera 4A, 24VAC CCTV PS in Enclosure | 125.00 |
| ALP-CC24AC16UL | 16 camera 8A, 24VAC CCTV PS in Enclosure | 215.00 |
| ALP-DMOD-4OUT | 4 out Power distribution board | 35.00 |
| ALP-DMOD-8OUT | 8 out Power distribution board | 40.00 |

SECURITY TIMERS, RELAYS AND ACCESSORIES

| | | |
|-----------------|-----------------------------------------------------------|--------|
| ALP-PTM | 12/24 Volt 1 second to 60 minute Timer | 30.00 |
| ALP-DTM7D24H | Single Channel programmable Timer | 130.00 |
| ALP-DTM7D24H-D | Dual Channel programmable Timer | 195.00 |
| ALP-PSC500 | Universal Power Supply Cabinet. | 120.00 |
| ALP-RB6-24VDC | Relay Module, 6 or 12 V operation, 120mA draw | 15.00 |
| ALP-RB1224VDC/6 | Break-a-way Relay 6 pack, 12 or 24 V operation, 50mA draw | 45.00 |
| ALP-AMOD8 | Access Power Controller | 145.00 |



Price Book 2009


WEATHER-RESISTANT ALARMED PANIC LOCKS

Models 250, 260, 700, 710

Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.

SPECIFICATIONS:

Cover: Die-cast metal
 Push Bar: Extruded Aluminum channel and push bar
 Handed: All models non-handed except 11A
 Installation: Surface mounted for single or double doors
 Cylinder: Accepts most standard size rim cylinders for inside and outside key control (not included)
 Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either PP100 or AC9.
 Lock bolt: 1" throw heavy die cast with reinforced Steel inserts.
 Alarm: Dual piezo siren measured at 95db




| PRODUCT | FINISH | LIST PRICE |
|----------------------------------------------------------------------|-----------------------------------------------|------------|
| 250WP (PADDLE) | US28 | 425.00 |
| 260WP (PADDLE) | US28 | 460.00 |
| 700WP (36" BAR) | US28, US312 & Red | 505.00 |
| 700X48WP (48" BAR) | US28 & US312 | 515.00 |
| 710WP (36"BAR) | US28 | 515.00 |
| 710X48WP (48"BAR) | US28 | 540.00 |
| CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control | Solid Brass Body Satin Chrome Face | 23.00 |
| 730 Single Door Strike for 250,260,700 & 710 | US28 & US312 | 38.00 |
| 732 Double Door Strike for 250,260,700 & 710 | US28 & US312 | 38.00 |
| 44 Double Door Holder | Aluminum | 100.00 |
| 707 Exterior Door Pull use on 250,260 700 & 710 only | Metalic Silver (MS) Metalic Bronze (MB) | 105.00 |
| 711 Exterior Finger Pull | US28 & US312 Use on 250,260,700 & 710 only | 23.00 |
| 767 Mounting Plate for Aluminum Glass Door | US28 & US312 Use on 250,260,700 & 710 only | 12.00 |
| PP100 Optional AC Power Supply | Aluminum | 215.00 |
| AC9 Optional AC Power Supply | Aluminum | 60.00 |
| S6173 | Replacement WP battery | 25.00 |




ALARMED PANIC DEVICES

Models 250, 260, 700, 710 & 11A– Battery operated alarmed panic locks. All models (except 11A) feature deadbolt & deadlatch for extra security. Selectable 2-minute or constant alarm. 260/710. All models (except 11A) feature a 2-minute auto re-set on the alarm.

SPECIFICATIONS:



- Cover: Die-cast metal
- Push Bar: Extruded Aluminum channel and push bar
- Handed: All models non-handed except 11A
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinders for inside And outside key control (not included)
- Power: Uses 1 9v battery (included). Normal battery life 1 Year. Can be powered by AC power by using either PP100 or AC9.
- Lock bolt: 1" throw heavy die cast with reinforced Steel inserts.
- Alarm: Dual piezo siren measured at 95db



| PRODUCT | FINISH | LIST PRICE |
|------------------|----------------------------------------------------------------------|------------|
| 250 (PADDLE) | US28 | 370.00 |
| 260 (PADDLE) | US28 | 405.00 |
| 700 (36" BAR) | US28, US312 & Red | 455.00 |
| 700X48 (48" BAR) | US28 & US312 | 485.00 |
| 710 (36"BAR) | US28 | 485.00 |
| 710X48 (48"BAR) | US28 | 495.00 |
| 11A | Deadbolt only exit lock. Handed order 11A or 11ALH. Use BP6 Battery. | 470.00 |

ACCESSORIES

| | | |
|----------------------------------------------------------------------|-----------------------------------------------|--------|
| CER-KD CER-12345 Rim Cylinder for Outside & Inside Key Control | Solid Brass Body Satin Chrome Face | 23.00 |
| 730 Single Door Strike for 250,260,700 & 710 | US28 & US312 | 38.00 |
| 732 Double Door Strike for 250,260,700 & 710 | US28 & US312 | 38.00 |
| K24A | 11A Single door strike | 27.00 |
| K28 | 11A Double door strike | 33.00 |
| K210A | 11A Strike for in-swing doors | 38.00 |
| 44 Double Door Holder | Aluminum | 100.00 |
| 22 Emergency Exit Pull (250/260/11A) | Aluminum | 75.00 |
| 707 Exterior Door Pull use on 250,260 700 & 710 only | Metalic Silver (MS) Metalic Bronze (MB) | 105.00 |
| 711 Exterior Finger Pull | US28 & US312 Use on 250,260,700 & 710 only | 23.00 |
| 767 Mounting Plate for Aluminum Glass Door | US28 & US312 Use on 250,260,700 & 710 only | 12.00 |
| PP100 Optional AC Power Supply | Aluminum | 215.00 |
| AC9 Optional AC Power Supply | Aluminum | 57.00 |
| 9936 | Used to mount 11A on 36" glass door | 75.00 |
| 9948 | Used to mount 11A on 48" glass door | 80.00 |
| 261 | Current Transfer | 55.00 |
| BP6 | Replacement battery for 11A | 27.00 |




DOOR ALARMS

PG10, PG21 & PG30 SERIES – Battery operated surface mounted door alarms. Alarms magnetically activated. Easy to install. Convenient plug-in “No cut” jumpers.

SPECIFICATIONS:

- Power: PG21, PG30 use 9v battery (supplied). PG10 & LL1 use BP6 (supplied). BP6 must be purchased from Alarm Lock. AC power supply can also be used as a battery back up (see below).
- Alarm: Dual piezo siren measured at 95db.
- Cylinder: Accepts most 1 1/4” mortise cylinder used for interior activation (not supplied) and standard size rim cylinder used for exterior activation (not supplied).
- Installation: Surface mounted for single or double doors.
- Cover: Die cast metal.



| PRODUCT | DESCRIPTION | LIST PRICE |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PG10 | Available in aluminum finish uses BP6 Battery replaced only through Alarm Lock | 230.00 |
| LL1 | Same as PG10 with strobe light on top. | 240.00 |
| PG21MS PG21MB | Available in metallic silver and metallic bronze. Uses 9v battery. | 230.00 |
| PG21E | Available in metallic silver only. Uses 9v battery. Includes additional terminal strip For remote monitoring and multiple door Alarming. | 250.00 |
| PG21MSS | Available in metallic silver and metallic bronze. Uses 9v battery with yellow strobe on top for noisy areas | 290.00 |
| PG30MS PG30MB | Available in metallic silver and metallic bronze. No cylinders required. All exit, entry and security levels programmed through keypad. 3 security levels, master, management and passage. Use 9v battery. | 270.00 |
| PG30KPD | Exterior keypad used with PG30 only. | 165.00 |
| CEM-KD CEM-12345 | Standard mortise cylinder for interior activation. Solid brass body, satin chrome face | 23.00 |
| CER-KD CER-12345 | Standard rim cylinder for exterior activation. Solid brass body, satin chrome face. | 23.00 |
| PP100 | AC battery back-up complete with armored cable and housing. | 215.00 |
| AC9 | AC battery back-up housing only | 55.00 |
| BP6 | Replacement battery for PG10 & LL1 | 27.00 |




DELAYED EGRESS PANIC LOCKS

715 Series - Stand alone delayed egress panic lock. 15 second delayed latch, instant alarm. Instant egress in case of emergency or fire. Meets NFPA 101 Life Safety Code. Includes monitoring output for secondary siren , CCTV or remote monitoring. Smoke detector input.

SPECIFICATIONS:

- Cover: Die cast metal
- Push bar: Extruded aluminum push bar and channel
- Handed: Non-handed
- Installation: Surface mounted for single or double doors
- Cylinder: Accepts most standard size rim cylinder used for Inside and outside key control
- Power: AC powered with 9v battery back-up for siren. Transformer And armored cable included
- Lock bolt: 1" throw heavy die cast with reinforced steel inserts
- Alarm: Dual piezo siren measured at 95db




| PRODUCT | DESCRIPTION | LIST PRICE |
|------------------|---------------------------------------------------------------------------------|------------|
| 715X28X88 | 15 second delayed egress lock. Aluminum finish with monitoring output. 33" bar. | 850.00 |
| 715x28x88x48 | 15 second delayed egress lock. Aluminum finish with monitoring output. 48" bar | 860.00 |
| CER-KD CER-12345 | Standard rim cylinder | 23.00 |
| 725x28 | Single door strike (included with unit) | 40.00 |
| 735x28 | Double door strike (not included with unit) | 40.00 |
| SWK-715 | Surface wiring kit for wood or glass doors | 75.00 |
| 767x28 | Metal mounting plate for glass doors | 12.00 |
| 277-12 | 277v transformer to wire 715 from Exit Sign | 50.00 |
| 271 | Armored cable | 40.00 |

ELECTRIC DEADBOLTS

Models 103 & 104 Fail-safe or fail-secure electric deadbolts. Available In 12v or 24v AC or DC. Perfect for use on narrow stile Doors. Complete with angle, mortise or flush mount strikes. Use with standard key or push button switch.

SPECIFICATIONS:

- Cover: Molded aluminum
- Power : Requires 400 mA for 24v, 800mA for 12v unit
- Deadbolt: Powered by a continuous duty solenoid. 5/8" diameter And 5/8" projection.



| PRODUCT | DESCRIPTION | LIST PRICE |
|-----------|---------------------------------------------------------------|------------|
| 103 | 24v AC or DC. Includes three strikes and magnets. Fail-safe | 285.00 |
| 103x12 | 12v AC or DC. Includes three strikes and magnets. Fail-safe | 335.00 |
| 104RA | 24v AC or DC. Includes three strikes and magnets. Fail-secure | 340.00 |
| 104x12 | 12v AC or DC. Includes three strikes and magnets. Fail-secure | 375.00 |
| 221 / 241 | 24v Plug-in style transformers | 40.00 |
| 222 | 24v Wire-in style transformer | 40.00 |

Price Book 2009

REMOTE RELEASE MAGNET

RR-PM1200 SERIES – Stand alone remote operated infra-red mag lock. Allows remote Lock control by a transmitting keyfob. Infra-red signal is detectable From interior and exterior sides of the door. Keyfob will operate From 10 feet on exterior side and 35 feet from interior side.

SPECIFICATIONS:

Magnet: 1200lb 12v DC magnet
 Power: Includes 12v AC plug in transformer. A 12v DC power supply
 Can be utilized (not included)
 Keyfob: Single button, dual LED infra-red transmitting. Up to 100 keyfobs
 Can be programmed into a single magnet.
 Programming: Each keyfob must be presented to the magnet to enroll keyfob ID into Software.



| PRODUCT | DESCRIPTION | LIST PRICE |
|--------------|----------------------------------------------------------------------------------|------------|
| RR-PM1200PAK | Includes 1 1200lb remote magnet, one AL-REMOTE keyfob and one 12v AC transformer | 515.00 |
| RR-PM1200 | 1200lb remote magnet | 450.00 |
| AL-REMOTE | Remote keyfob | 55.00 |

POWER MAGNETS AND REQUEST TO EXIT BUTTONS

| PRODUCT | DESCRIPTION | LIST PRICE |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PM600BI | 600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish | 260.00 |
| PM600L | 600lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring | 310.00 |
| PM1200 | 1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish | 275.00 |
| PM1200SL | 1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring | 325.00 |
| PM1200SLBI | 1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" Aluminum finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors | 580.00 |
| PM120040 | 1200lb magnetic lock field selectable 12/24v DC 9 7/8" x 1 11/16" x 1" dark bronze finish | 275.00 |
| PM1200SLBI40 | 1200lb magnetic lock field selectable 12/24v DC 21" x 1 11/16" x 1" dark bronze finish L.E.D. indicator & door bond sensor for remote monitoring for use on double doors | 325.00 |
| PE1 | Round red exit button non illuminate Standard switch plate | 105.00 |
| PE2 | Square green illuminated exit button Standard switch plate | 105.00 |
| PE2S | Square green illuminated exit button Narrow switch plate | 100.00 |
| PMA-ANGL1 | Angle bracket 1 1/2 x 10 1/2 | 40.00 |
| PMA-ANGL2 | Angle bracket adjustable 1 1/2 x2 3/8x 10 1/2 | 75.00 |
| PMA-ANGL3 | Angle bracket adjustable 1 3/8x2 3/8x10 1/2 | 75.00 |
| PMA-FILL1 | Filler plate 10 1/2 x 3/4 x 5/8 | 30.00 |

POWER MAGNETS AND REQUEST TO EXIT BUTTONS (cont'd)

| PRODUCT | DESCRIPTION | LIST PRICE |
|----------------|----------------------------------------------|-------------------|
| PMA-FILL2 | Filler plate 10 ½ x ¾ x ½ | 30.00 |
| PMA-Z1 | Z bracket adjustable use with PM600BI Series | 145.00 |
| PMA-Z2 | Z bracket adjustable use with PM1200 series | 235.00 |
| PMA-ARMH1 | Armature plate 7 ¼" x 1 ½" x 19/32" | 140.00 |
| PMA-ARMH2 | Armature plate 7 ½" x 2 7/16" x 19/32" | 155.00 |

ALARM LOCK SYSTEMS, INC. WARRANTY/RETURN POLICY

Alarm Lock Systems Inc. warrants its products to be free from manufacturing defects in material and workmanship. The length of said warranty is 24 months on all products from the date of manufacture.

Any customer may get an over-the-counter exchange with the original seller (distributor) for any Alarm Lock product failing to operate properly.

For those customers who have direct accounts with Alarm Lock, please follow this procedure to return product for inspection:

- 1. Call Customer Service at 1 800 252-5625 ext 149 to obtain a return authorization number. Or you can fax a request to 631 842-3574.**
- 2. Advise your customer that upon receipt of said product, Alarm Lock will inspect that product.**
- 3. If said product is found not to be operating properly because of a factory defect and is within the warranty period, Alarm Lock will at the customer's request, either issue a product replacement or a credit to the customer's account.**
- 4. If said product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.**

Any customer, who does not have a direct account, can return their product for inspection if it is not operating properly. Upon inspection, the customer will be contacted and advised of the results of the inspection. If the product is found not to be operating properly because of a manufacturing defect, Alarm Lock can repair or replace the product. If the product is found not to be operating properly because, it has been repaired by others, improperly installed, improperly used, abused, altered, defaced in any way, or is out of warranty, there will be a charge incurred to repair the product.

If you experience a problem with any Alarm Lock product, you may contact Alarm Lock's Technical Support directly at 1 800 252-5625.

NOTES

Alarm Lock Systems, Inc.
345 Bayview Ave
Amityville NY 11701
1 800 252-5625
1 631 789-3383
www.alarmlock.com

ALA132R
01/09