

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



IEI Electronics Price Sheet - 2011

Quote #					
Notes:					
CHG	Marketing #	Mfg. Part #	Description		Dealer
*	eMerge50	230219	32 door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power supply, 3 Series		1327.10
*	eMerge50LPS	230227	32 Door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power line power supply, 3 Series		1442.60
*	eMerge5000	230220	140 door max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power supply, 3 Series		2512.13
*	eMerge5000LPS	230228	140 max - eMerge 2 Door Bundle with Network Controller, 2 door Access Control Module (ACM), enclosure, and power line power supply, Series 3		2627.63
*	eMergeEXN	0-587004	Network Expansion Node, Enclosure, and Power Supply		1,079.93
*	eMergeEXNLPS	0-589004	Network Expansion Node, Enclosure, and Power Line Power Supply		1,195.43
	eMerge MicroNode	230222	*** Only works with 3 Series*** eMerge Compact Network Node with 2 Reader ports, 4 Inputs, 4 Output relays, 1 Temp Input and optional POE		1,106.60
*	eMergeACM	0-580100-L	eMerge Access Control Blade: 2 reader, 4 inputs, 4 outputs		727.65
*	eMergeINP	0-580110	eMerge Input Blade: 8 inputs		346.50
*	eMergeOUT	0-580120	eMerge Output Blade: 8 outputs		375.38
*	eMergeTMP	0-580130	eMerge Temperature Monitoring Blade: 8 Inputs		404.25
*	eMergeTMPPB	0-580131	eMerge Temperature Monitoring Probe		138.60
*	eMergeLMB	2-067008	Live Monitoring Bundle for eMerge440; includes: Monitoring Desktop, Interactive Floorplans, Alarm Acknowledgment and Photo pop-up		476.44
*	eMergeAPI	2-067009	eMerge License for API license for eMerge50 & eMerge 440		759.99
*	eMergeU440	2-067010	eMerge upgrade from eMerge50 to eMerge440		1,367.52
*	eMergeU5000	eMergeU5000	eMerge upgrade from eMerge50 to eMerge5000		1,841.65
*	eMergeVMS8B	eMergeVMS8B	Base VMS license -includes license for integration to 8 cameras		410.03
*	eMergeVMS8E	eMergeVMS8E	Expansion VMS license -includes license for integration for additional 8 cameras		534.19
*	eMergeVMS1E	eMergeVMS1E	Individual camera expansion VMS license -includes license for 1 camera		106.84
	eMergeBD2	2-067006	Badge Designer & 1 Printing Station License		2,400.46
	eMergeCF2G	eMergeCF2G	Compact Flash Card - 2 Gigabyte		82.50
	eMergeBDK	eMergeBDK	Badge printing kit - includes camera with stand. Pebble printer with 5 color ribbon, and Compact Flash Card		4,015.00
*	eMergeNCB, v3.3	230338	eMerge Network Controller spare board kit - no license or features		1,016.40
*	eMergeNCB, v2.5	0-587008	eMerge Network Controller spare board kit - no license or features		1,016.40
*	eMergeNNB	0-587009	eMerge Network Node spare board kit		808.50

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
*	eMergeXFR4	0-587010	eMerge 4A 24V External transformer with enclosure for use with eMerge power supplies manufactured after 9/1/2006.	138.60
*	eMergeSVM	eMergeSVM	SVM Secure Visitor Management Software with Badge generation capability and eMerge integration software. Include SVM database, SVM workstation license, Administrator application and eMerge integration software. Requires API to be enabled.	5,488.08
*	eMergeSVM-SA	eMergeSVM-SA	Stand-alone SVM Secure Visitor Management Software with Badge generation capability NO eMerge integration software. Include SVM database, SVM workstation license, Administrator application and eMerge integration software.	2,497.50
*	eMergeSVMK	eMergeSVMK	SVM Kit includes eMergeSVM plus thermal adhesive label badge printer, license/card scanner and Logitech Orbit PTZ Web Camera	6,846.84
*	eMergeSVMAD	eMergeSVMAD	SVM Administration (additional license)	495.50
*	eMergeSVMEA	eMergeSVMEA	SVM eAdvance web preregistration software	2,998.00
	EA-EV-E2001U	EA-EV-E2001U	Tattoo Monochrome single side card printer	1,903.37
	EA-EV-E5001RU	EA-EV-E5001RU	Pebble Color single side card printer	2,583.15
	EA-EV-E3001U	EA-EV-E3001U	Dualys Color dual-side card printer	4,202.25
	EA-EV-E4001U	EA-EV-E4001U	Quantum Industrial Color dual-side card printer	8,898.88
	EA-EV-R2011	EA-EV-R2011	Black Monochrome Ribbon 1000 cards per roll	12.36
	EA-EV-R2012	EA-EV-R2012	Blue Monochrome Ribbon 1000 cards per roll	30.90
	EA-EV-R2013	EA-EV-R2013	Red Monochrome Ribbon 1000 cards per roll	30.90
	EA-EV-R2014	EA-EV-R2014	Green Monochrome Ribbon 1000 cards per roll	30.90
	EA-EV-R2015	EA-EV-R2015	White Monochrome Ribbon 1000 cards per roll	43.26
	EA-EV-R2016	EA-EV-R2016	Gold Monochrome Ribbon 1000 cards per roll	59.33
	EA-EV-R2017	EA-EV-R2017	Silver Monochrome Ribbon 1000 cards per roll	59.33
	EA-EV-R2018	EA-EV-R2018	Scratch Off Monochrome Ribbon 1000 cards per roll	49.44
	EA-EV-R2019	EA-EV-R2019	BlackWAX Monochrome Ribbon (for ABS and special varnished cards)	12.36
	EA-EV-R2121	EA-EV-R2121	Black Monochrome Ribbon 5000 cards per roll (QUANTUM PRINTER ONLY)	54.38
	EA-EV-R2211	EA-EV-R2211	Black Monochrome Ribbon 600 cards per roll	10.63
	EA-EV-R2212	EA-EV-R2212	Blue Monochrome Ribbon 600 cards per roll	25.96
	EA-EV-R2213	EA-EV-R2213	Red Monochrome Ribbon 600 cards per roll	25.96
	EA-EV-R2214	EA-EV-R2214	Green Monochrome Ribbon 600 cards per roll	25.96
	EA-EV-R2215	EA-EV-R2215	White Monochrome Ribbon 500 cards per roll	28.43
	EA-EV-R2216	EA-EV-R2216	Gold Monochrome Ribbon 500 cards per roll	45.73
	EA-EV-R2217	EA-EV-R2217	Silver Monochrome Ribbon 500 cards per roll	45.73
	EA-EV-R2218	EA-EV-R2218	Scratch Off Monochrome Ribbon 500 cards per roll	32.13
	EA-EV-R2219	EA-EV-R2219	BlackWAX Monochrome Ribbon (for ABS and special varnished cards or cardboard) 600 cards per roll	10.63

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	EA-EV-R3011	EA-EV-R3011	5 Panel Color Ribbon YMCKO 200 cards per roll (<i>DUALYS & PEBBLE PRINTERS ONLY</i>)	80.34
	EA-EV-R3012	EA-EV-R3012	2 Panel Monochrome – Black TT + Varnish 500 cards per roll	71.69
	EA-EV-R3013	EA-EV-R3013	Half-Panel Color Ribbon – YMCKO 400 cards per roll	92.70
	EA-EV-R3111	EA-EV-R3111	5 Panel Color Ribbon YMCKO 1000 cards per roll (<i>QUANTUM PRINTER ONLY</i>)	346.07
	EA-EV-R3114	EA-EV-R3114	6 Panel Color Ribbon YMCKOK 800 cards per roll (<i>QUANTUM PRINTER ONLY</i>)	346.07
	EA-EV-R4001	EA-EV-R4001	Optoseal® Hologram Ribbon 350 cards per roll	107.53
	EA-EV-C1001	EA-EV-C1001	Premium Blank White Cards - 30 mil (5 packs of 100 cards)	98.88
	EA-EV-C1003	EA-EV-C1003	Premium Blank White Cards with a HICO Magnetic stripe - 30 mil (5 packs of 100 cards)	169.32
	EA-EV-C2001	EA-EV-C2001	Blank White Paper Cards – 10 mil 5 aocks of 100 cards	43.26
	EA-EV-C4001	EA-EV-C4001	Blank White Cards -30 mil 5 packs of 100 cards	69.21
	EA-EV-C4003	EA-EV-C4003	Blank White Cards with a HICO Magnetic Stripe -30 mil 5 packs of 100 cards	123.60
	eMergeCDMB	eMergeCDMB	Data migration including cardholder names, card numbers, access levels, photo, and up to five (5) user defined fields. Data requiring excessive manipulation (particularly photos) could incur further charges. If excessive manipulation of photos is required, images may suffer some loss of resolution. Please consult with factory to review your data.	562.50
	eMergeCFGB	eMergeCFGB	Configuration of (up to) first eight (8) Portals of information including portal resources (locks, readers, exit and monitoring devices),Nodes, Time Specs, Access Levels, People, Photos, Cards. Delivered as database back up file on CD with print outs and .pdf files of system resource reports. This service includes up to one (1) hour of Remote System Commisioning via internet connection. (<i>Data requiring excessive manipulation (particularly photos) could incur further charges. If excessive manipulation of photos is required, images may suffer some loss of resolution. Please consult with factory to review your data.</i>)	750.00
	eMergeCFGE	eMergeCFGE	Configuration of each additional (up to) eight (8) Portals of information including portal resources (locks, readers, exit and monitoring devices), Nodes, Time Specs, Access Levels. Delivered as database back up file on CD with print outs and .pdf files of system resource reports.	187.50

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	eMergeSTGB	eMergeSTGB	Full bench staging of one (1) Node (or Controller box) with blades installed. All Pre-configured System data installed on controller and downloaded to Nodes. Node connected to controller and IP addresses programmed. Full testing of all boards including power supply. All Expansion Nodes (EXN) tested for communications to Controller via Ethernet. Delivered as a kit with printouts of system resource reports and blade images along with CD containing system back up file and .pdf files of all print outs.	156.25
	Max 3 SYS	0-205600	Max3 single door access control system kit. Contains Max 3 Door Control Module and connectivity to support 3 additional Max 3 control modules in oversized metal cabinet with cam lock. Includes XF 1050 proximity reader that is AWID, HID, xCeedID, and Casi/ProxLite compatible; Hub Manager Professional access control software, 12/24 VDC board power supply for locks; AC Transformer for system and AC transformer for lock power supply.	715.25
	MiniMax 3 SYS	0-205601	MiniMax3 single door access control system kit. Includes metal cabinet, cam lock, AC transformer, built-in 12 VDC 1 Amp power supply, Max3 Door Control Module (DCM). Includes Hub Manager Professional access control software, programming keypad, Includes XF 1050 proximity reader that is AWID, HID, xCeedID, and Casi/ProxLite compatible.	531.25
	Max3Mod EX	0-205603	Max3 Module single door access control kit for system expansion. Plugs into Max3 backplane to expand system capacity one door at a time. Contains Max 3 Door Control Module and Includes XF 1050 proximity reader that is AWID, HID, xCeedID; Casi/ProxLite compatible.	348.27
	Max3	0-205673	Max3 single door access control panel. Contains Max 3 Door Control Module and connectivity to support 3 additional Max 3 control modules in oversized metal cabinet with cam lock, Hub Manager Professional access control software, and AC Transformer for system.	647.68
	MiniMax3	0-205672	MiniMax3 single door access control panel. Includes metal cabinet, cam lock, AC transformer, built-in 12 VDC 1 Amp power supply, Max3 Door Control Module (DCM). Includes Hub Manager Professional software, programming keypad.	457.46
	Max3Mod	0-205671	Max3 Module single door access control module. Plugs into Max3 backplane to expand system capacity one door at a time.	287.82
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply mounts inside HubMax- Transformer required (24VAC 40VA)	39.39
	SEG-M	0-296006	Secured Ethernet Gateway [Plug-in] Module Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Easily plugs into backplane which provides module power and communication with access panel.	289.24

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	M3M	0-230556	Max3 modem module for dial up remote site management applications. Easy plug on installation to Max 3 Module in Max 3 and MiniMax 3 systems. Systems requirements: Software must be Hub Manager Professional v7.X or higher. Packaging includes software, power and RS-485 harnesses, phone jack, and phone cord.	273.00
	IEI232-485	0-295093	RS 232 to RS 485 interface for prox.pad Plus and Max3 systems.	57.27
	USB-serial	0-295097	USB to serial convertor on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	87.37
*	M3-OM	0-205661	Max3 Output Module. Adds 8 form C control relay outputs to Max3 module for applications such as elevator control. Installs onto and is powered from Max3 module. Includes power LED and individual relay status LEDs. System requirements: Software must be Hub Manager Professional v8.0 or higher. Package includes software, wire harnesses, and mounting hardware. New product - contact IEI for availability.	206.60
	en-Stat	0-205680	Prox enrollment station kit with USB port for enrolling HID credentials 26 bit format for Secured Series systems and up to 40 bits for Max 3 systems, prox.pad plus systems, and LS2P systems] directly into Hub Manager Professional access control software. Includes 12 VDC transformer for power, includes 6' USB cable. Requires Hub Manager Professional v6.0 or higher.	206.60
	P-300H	0-299100	HID Compatible, Mullion Mount Reader	82.88
	P-500H	0-299101	HID Comp, Single Gang Mount Reader	95.63
	P-640H	0-299102	HID Comp, Keypad Reader	252.88
	PSC-1H	0-299106	HID Comp, Proximity Clamshell Card. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	57.38
	PSM-2PH	0-299107	HID Comp, Proximity ISO, PVC Card. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	106.25
	PSK-3H	0-299108	HID Compatible, Proximity Keyfob. (lots of 25 only), Wiegand 26 bit format, Facility Code 11	125.38
	Delta 3H	0-299103	Smart Card Reader, Mullion Mount Reader	138.13
	Delta 5H	0-299104	Smart Card Reader, Single Gang Mount	159.38
	Delta 6.4H	0-299105	Smart Card Keypad Reader	263.50
	DC1-1	0-299109	13.56 MHz ISO 1443 Type A, Calmshell Contactless Smart Card, 1K byte, (lots of 25 only), Facility Code 11	69.06
	DC4-1	0-299110	13.56 MHz ISO 1443 Type A, Calmshell Contactless Smart Card, 4K byte, (lots of 25 only), Facility Code 11	103.60
	DM1-3	0-299111	13.56 MHz ISO 1443 Type A, Printable, Contactless Smart Card, 1K byte, (lots of 25 only), Facility Code 11	74.38

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	DM4-3	0-299112	13.56 MHz ISO 1443 Type A, Printable Contactless Smart Card, 4K byte, (lots of 25 only), Facility Code 11	112.63
	DM1-3S	0-299113	13.56 MHz ISO 1443 Type A, Printable Contactless Smart Card with Mag Stripe, 1K byte, (lots fo 25 only), Facility Code 11	164.69
	DM-4-3S	0-299114	13.56 MHz ISO 1443 Type A Calmshell Contactless Smart Card with Mag Atripe, 4K byte, (lots fo 25 only), Facility Code 11	177.98
	DK1-3	0-299115	13.56 MHz ISO 1443 Type A Key Tag , 1K byte, (lots of 25 only), Facility Code 11	177.98
	DK4-3	0-299116	13.56 MHz ISO 1443 Type A Key Tag, 4K byte, (lots of 25 only), Facility Code 11	270.94
	SR2400	0-299000	AWID compatible, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray UL294 Listed	82.65
	MM6800	0-299001	AWID compatible, Wiegand and RS232 (simultaneous), 6 to 8 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray, UL294 Listed	126.44
	SP6820	0-299002	AWID compatible, Wiegand and RS232 (simultaneous), 6 to 8 inch Read Range, Metal Compensated, Single Gang Box Mount, Indoor/Outdoor, Dark Gray, UL294 Listed	126.44
	KP6840	0-299003	AWID compatible, SP6820 w/integrated keypad, Wiegand and RS232 (prox only), 6 to 8 inch Read Range, Mutliple Formats, Indoor/Outdoor, Dark Gray, UL294 Listed	202.30
	MR1824	0-299004	AWID compatible, Wiegand and RS232 (simultaneous), 18 to 24 inch Read Range, Dimensions only 8"x8"x1", Indoor/Outdoor, Dark Gray UL294 Listed	263.29
	SR2400GRHP	0-299027	HID compatible low cost proximity reader from AWID, reads standard 26 bit cards only, Wiegand Output, 4 to 5.5 inch Read Range, Metal Compensated, Mullion Width, Indoor/Outdoor, Dark Gray	82.64
	CS36S-L	0-299007	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; with logo. IEI 36 bit format.	57.64
	CS36S	0-299016	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; without logo. IEI 36 bit format.	50.95
	GR36S	0-299008	AWID compatible, Prox Card, Graphics Quality both sides, ISO Compliant. [lots of 50 only]. IEI 36 bit format.	156.19
	GRMAG36S	0-299009	AWID compatible, Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe. [lots of 50 only] IEI 36 bit format.	163.68
*	KT36S	0-299010	AWID compatible, Proximity Key Tag (Key Fob). [lots of 25 only] IEI 36 bit format.	84.85
	PW36S	0-299011	AWID compatible, Proximity Wafer, 1 inch Diameter, Adhesive backing. [lots of 50] IEI 36 bit format.	163.63
	CS26S	0299017	AWID compatible, Clam Shell style Prox Badge, Pre-punched in Portrait Orientation. [lots of 25 only]; without logo. Standard 26 bit format.	50.95

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	GR26S	0-299018	AWID compatible, Prox Card, Graphics Quality both sides, ISO Compliant. [lots of 50 only] Standard 26 bit format.	156.19
	GRMAG26S	0-299019	AWID compatible, Graphics Quality ISO with 3 track High-Co ABA Magnetic Stripe. [lots of 50 only] Standard 26 bit format.	174.78
*	KT26S	0-299020	AWID compatible, Proximity Key Tag (Key Fob). [lots of 25 only] Standard 26 bit format.	84.85
	PW26S	0-299021	AWID compatible, Proximity Wafer, 1 inch Diameter, Adhesive backing. [lots of 50] Standard 26 bit format.	163.63
*	ProxPoint Plus-GY	0-298064	HID COMPATIBLE, PROXPOINT PLUS, WIEGAND, CLASSIC GRAY, CABLE	108.29
*	ProxPoint Plus-BK	0-298065	HID COMPATIBLE, PROXPOINT PLUS, WIEGAND, CLASSIC BLACK, CABLE	108.29
*	MiniProx-GY	0-298000	HID COMPATIBLE, MINIPROX WIEGAND, CLASSIC GRAY, CABLE	213.93
*	MiniProx-BK	0-298066	HID COMPATIBLE, MINIPROX WIEGAND, CLASSIC BLACK, CABLE	213.93
*	ThinLine II-GY	0-298053	HID COMPATIBLE, THINLINE II WIEGAND, CLASSIC GRAY, CABLE	218.48
*	ThinLine II-BK	0-298054	HID COMPATIBLE, THINLINE II WIEGAND, CLASSIC BLACK, CABLE	218.48
*	ProxPro-GY	0-298067	HID COMPATIBLE, PROXPRO WIEG, GRAY, with KEYPAD, CABLE	247.31
	ProxPro II-GY	0-298068	HID COMPATIBLE, PROXPRO II WIEG, GRAY, NO KEYPAD, CABLE	221.52
	ProxPro II-BK	0-298069	HID COMPATIBLE, PROXPRO II WIEG, BLACK, NO KEYPAD, CABLE	221.52
*	MaxiProx	0-298070	HID COMPATIBLE, MAXIPROX WIEG, GRAY, CABLE	713.11
	ProxCard II	0-297401	HID compatible ProxCard II (lots of 25 only) Cards	68.56
*	ISOProx	0-297101	HID compatible, ISOProx Card (lots of 25 only)Cards	114.91
*	DuoProx	0-297201	HID compatible, DuoProx Card (lots of 25 only)Cards for ProxPoint Readers	122.57
*	ProxKey	0-297301	HID compatible, ProxKey Key Fob (lots of 25 only)Key Fobs	128.32
	ProxPass	0-297806	HID Compatible, Long range proximity tag for vehicle access. Standard 26 bit format (lots of 25 only)	33.76
	XF1050	0-299038	Mini-Mullion 125 kHz Proximity Reader. AWID, HID, xCeedID, Casi/ProxLite compatible. Black.	101.82
	MP1000	0-299025	Mullion/MiniMullion reader mounting plate - single gang adapter for XF1050 and other Mullion readers.	53.13
	XF1550	0-299041	Wallmount 125 kHz Proximity Reader. AWID, HID, xCeedID, Casi/ProxLite compatible. Black.	191.84
	XF1100D	0-299031	Multi-Frequency Mullion Reader	202.17
	XF1500D	0-299032	Multi-Frequency Wallmount Reader	258.25
	XF2100D	0-299033	Multi-Frequency Mid-Range Reader	262.88
	XF2110D	0-299034	Multi-Frequency Mid-Range Keypad Reader	363.02
	XF1100D-PIV	0-299035	Multi-Frequency Mullion Reader	247.92
	XF2100D-PIV	0-299036	Multi-Frequency Mid-Range Reader	303.99
	XF2110D-PIV	0-299037	Multi-Frequency Mid-Range Keypad Reader	405.82
	XF1060MF	0-299039	Mini-Mullion 13.56 MHz MIFARE Reader	104.77

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	XF1060XX	0-299040	Mini-Mullion 13.56 MHz ISO-X Reader	104.77
	WP644	0-298079	Dorado weatherproof pass-through reader accepts magnetic stripe credential; Wiegand or Clock-and-Data output; 4.75 - 5.25 VD@ 35mA	163.63
	prox.pad	0-205676	Proximity Reader and Keypad. 12 VDC	197.63
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. Features illuminated backlit keys and sounder. 5 year warranty.	128.85
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. . Durable metal trim. Features heavy duty metal keys with Braille and sounder. 5 year warranty.	179.99
	SSW-iLM-AL	0-235161	Mullion, indoor/outdoor, backlit keypad, Aluminum, 26-bit wiegand. 5 - 12 VDC operation.	153.21
	SSW-iLM-BZ	0-235162	Mullion, indoor/outdoor, backlit keypad, Bronze, 26-bit wiegand. 5 - 12 VDC operation.	168.53
	SSW-FX	0-230770	Flush Mnt, Vandal Resistant 26 Bit & IEI Compatible Keypad. 5 - 12 VDC operation.	237.80
	prox.pad plus	0-205679	prox.pad plus - Fully integrated single door access control system combining key pad and proximity technology. Up to 2000 users per door with network capacity up to 32 doors per site via RS485 communications using Hub Manager™ Professional software (included). 2000 event buffers, real-time clock, 12-15 VDC operating power.	367.71
	prox.pad plus IR	0-205681	prox.pad plus - with IR communication - Fully integrated single door access control system combining key pad and proximity technology. Up to 2000 users per door with network capacity up to 32 doors per site via IR communications using PDA for data transport and Hub Manager™ Professional software (included). 2000 event buffers, real-time clock, 12-15 VDC operating power.	409.12
	SEG-1	0-296005	Linear's Secured Ethernet Gateway. Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Wall mounts using separately provided hardware; requires separate 12VDC power [150 mA max], provided with modular cord for communication with access panel.	345.10
	USB-Serial	0-295097	USB to serial convertor on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	87.37
	IEI232-485	0-295093	RS 232 to RS 485 interface for prox.pad Plus and Max3	57.27

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	DTD	0-297011	Hand-held DATA TRANSFER DEVICE for wireless infrared (IR) transfer of data and retrieval of stored events from the software managed prox.pad plus IR and LS2/P Series wireless access control locksets. Data is saved to an internal memory for transfer to a PC via USB connection. Powered by 4 "AA" batteries (included). Includes Hub Manager Professional software, USB cable & 4 "AA" batteries.	243.49
*	Hub Max II	0-295134	Secured Series Hub Max II access control system supports 2000 users per door and 1500 transactions. Includes one Door Control Module (DCM) and backplane to support an additional 3 DCM's in an oversized metal cabinet with cam lock. Hub Max II includes Hub Manager Professional software, PC connectors, AC transformer, programming keypad, and installation instructions. Network capacity up to 32 doors per site.	656.55
*	Hub Max II Module	0-295144	Secured Series II Door Control Module (DCM) supports 2000 users per door and 1500 transactions. Plugs into Hub Max backplane to expand system capacity one door at a time.	274.20
*	Hub MiniMax II	0-295137	Secured Series MiniMax II single door control standard version. Supports 2000 users per door and 1500 transactions. Includes metal cabinet, cam lock, plug-in transformer, 12 volt 1 Amp power supply, Door Control Module (DCM) Includes Hub Manager Professional software, PC connectors, AC transformer, programming keypad, and installation instructions. Network capacity up to 32 doors per site.	501.19
*	HC500P	0-295033	Secured Series Hub Plus Control Module Standard access control functions. All control electronics secured. 500 users, buffers transactions, real-time clock, RS232 networkable, infrared output to wireless printer.	298.42
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply mounts inside HubMax II- Transformer required (24VAC 40VA)	39.39
	en-stat	0-205680	Prox enrollment station kit with USB port for enrolling HID credentials 26 bit format for Secured Series systems and up to 40 bits for Max 3 systems, prox.pad plus systems, and LS2P systems] directly into Hub Manager Professional access control software. Includes 12 VDC transformer for power, includes 6' USB cable. Requires Hub Manager Professional v6.0 or higher.	206.60
*	SS-Modem	0-230551	Plug-on modem for use with Secured Series HubMax II & Hub MiniMax II ONLY.	232.05
	SEG-1	0-296005	Secured Ethernet Gateway Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Wall mounts using separately provided hardware; requires separate 12VDC power [150 mA max], provided with modular cord for communication with access panel.	345.10

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	SEG-M	0-296006	Secured Ethernet Gateway [Plug-in] Module Converts TCP/IP to serial data enabling IEI access systems to use a network to securely send and receive data; and to be programmed and managed from any network PC running Hub Manager Professional [v5.0 or higher]. Requires network connection. Easily plugs into Max 3, MiniMax 3 & HubMax II, Hub MiniMax II backplanes which provides module power and communication with access panel.	289.24
	USB-Serial	0-295097	USB to serial convertor on a single gang electrical plate. Color white. Converts either or both RS232 or RS485 for use with Max3, MiniMax3, Hub Max II, Hub MiniMax II and prox.pad plus. Includes converter, USB cable, wire harness for serial connection. Powered by PC USB port.	87.37
	BACKPLANE	2-095034	Replacement backplane for HubMax II and MAX-3 access system	129.36
	HUBSWR	0-295011	Hub Manager Professional software is used to manage IEI access systems including, Max3, MiniMax3, prox.pad plus and LS2 & LS2P systems. Easy to use "Tasklist Clipboard" and in-depth reports are just some of the advantages Hub Manager Professional software brings. Hub Manager Professional comes with most of IEI's access systems, but can be purchased separately to expand existing IEI access systems.	148.75
*	SS-IM	0-295701	Secured Series interface module can be used to connect any 26 bit wiegand readers to HubMax II & MiniMax II panels.	63.75
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. Features illuminated backlit keys and sounder. 5 year warranty.	128.85
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. Durable metal trim. Features heavy duty metal keys with Braille and sounder. 5 year warranty.	179.99
	SSW-iLM-AL	0-235161	Mullion style, backlit keypad, also 26-bit wiegand, aluminum finish. 5-12 VDC	153.21
	SSW-iLM-BZ	0-235162	Mullion style, backlit keypad, also 26-bit wiegand, bronze finish. 5-12 VDC	168.53
	SS-KP500WP	0-295140	Durable, Weatherproof Keypad	247.81
	CR500W	0-295340	Weatherproof Magnetic Card Reader	222.76
	prox.pad	0-205676	Proximity Reader and Keypad. 12 VDC	197.63
	SS-PROXPOINT-G	0-295743	Weatherproof ProxPoint Reader-Grey - HID	137.89
	SS-PROXPOINT-Bk	0-295745	Weatherproof ProxPoint Reader-Black - HID	137.89
	SS-PRX500W-BK	0-295645	ASP Indala Weatherproof Proximity Card Reader-Black	475.90
	SSW-FX	0-230770	Flush Mnt, Vandal Resistant 26 Bit & IEI Compatible Keypad. 5-12 VDC	237.82
	ProxCrd II	0-297401	HID compatible ProxCrd II (lots of 25 only) Cards	68.56
	ISOProx	0-297101	HID compatible, ISOProx Card (lots of 25 only)Cards	114.91
	ProxKey	0-297301	HID compatible, ProxKey Key Fob (lots of 25 only)Key Fobs	128.32
	PrxCrd-25	0-290025	ASP Indalla Compatible - Secured Series Proximity Reader Card - (Lots of 25 only)	124.31

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	PrxCrd-100	0-290100	ASPIndalla Compatible - Secured Series Proximity Reader Card - (Lots of 100 only)	397.91
*	MagCrd-25	0-200025	Magnetic Striped Cards - (Lots of 25 only)	55.91
*	MagCrd-100	0-200100	Magnetic Striped Cards - (Lots of 100 only)	165.75
	MagHico-25	0-202525	High Coercivity Magnetic Striped Cards - (Lots of 25 only)	72.78
	MagHico-100	0-201000	High CoercivityMagnetic Striped Cards - (Lots of 100 only)	215.69
	Microprox	0-295244	HID MicroProx Tag 125 kHz proximity tag with adhesive back. - (Lots of 20 only)	80.64
	BINCATCH	0-202526	Bin Catch cards for MAGCRD to enable individual digit identification on a ABA Trac II card	37.19
	2000e	0-294021	2000 series e style access control keypad. Indoor/outdoor flush mount design. Single gang. 500 users. Features illuminated backlit keys and sounder. Two on-board output relays – programmable. Door monitor input and REX input. Keypad program. Stand alone mode Wiegand output mode and IEI Secured Series output mode selectable. 10-30 VDC; 12-25VAC. 5 year warranty.	128.85
	2000eM	0-294022	2000 series eM style access control keypad. Indoor/outdoor flush mount design. Single gang. 500 users. Durable metal trim. Features heavy duty metal keys with Braille and sounder. Two on-board output relays – programmable. Door monitor input and REX input. Keypad program. Stand alone mode Wiegand output mode and IEI Secured Series output mode selectable. 10-30 VDC; 12-24VAC. 5 year warranty.	179.99
	2000-8EX	0-294088	Output expansion module for 2000 series keypads-adds 8 control relay outputs to 2000 series access control keypads. Receives power from and installs remotely from the keypad in double gang box or attaches to double gang plate. Requires 6 conductor shielded cable for interconnect. Includes power LED and individual LEDs indicating status of each of the 8 relay outputs.	49.44
	242iLW	0-230727	Outdoor surface mount keypad. Architectural look, backlit keys, sounder, single relay output. 10 - 30 VDC; 12 - 24 VAC operation.	172.50
	232i	0-213111	Flushmount indoor keypad; single gang design. Stainless face plate.	112.23
	232w	0-213222	Weather-Resistant, Membrane Keypad, Flush Mount. Stainless face plate.	142.93
*	232cvs	0-213119	Flushmount indoor keypad; single gang design, delay on the DPS contact. Stainless face plate.	117.84
	232iLM-AL	0-230800	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, aluminum finish, doorbell key and relay, secured installation	221.91
	232iLM-BZ	0-230801	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, bronze finish, doorbell key and relay, secured installation	230.62
	232R	0-213466	Rugged, Heavy Duty, Weatherproof keypad. White	259.96
	232SE	0-232140	Sealed Environmental, Weatherproof, Surface Mount, Aluminum.	238.14
	232FX	0-230760	Design Series, Xtreme, Flush Mnt, rated 5 million strokes	281.53

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	212i	0-211111	Flushmount indoor keypad; single gang design. Stainless face plate.	72.26
	212R	0-211466	Rugged, Heavy Duty, Weatherproof keypad. White	220.85
	212SE	0-212140	Sealed Environmental, Weatherproof, Surface Mount, Aluminum	224.13
	212w	0-211222	Weather-Resistant, Membrane Keypad, Flush Mount	106.09
	212iLW	0-230722	Outdoor surface mount keypad. Architectural look, backlit keys, sounder, single relay output. 10 - 30 VDC; 12 - 24 VAC operation.	149.54
	212iLM-AL	0-231344	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, aluminum finish, doorbell key and relay.	196.11
	212iLM-BZ	0-231345	Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, bronze finish, doorbell key and relay.	207.88
*	233	0-233340*	Magnetic Stripe Access Control Card Readers use any ABA format, track II, magnetic stripe cards. A StandAlone Mag Stripe Reader with ATM Mode. Mullion mount. Weatherproof. Two piece secure design. 12 - 24 VDC; 12 - 24 VAC operation.	299.31
	prox.pad	0-205676	Standalone Proximity Reader and Keypad, reads any HID Card format. 2000 users; 1000 event audit trail; 12 - 15 VDC operation. Includes glass mount kit. Also, programs to be a reader in a Secured Series or Wiegand controller system.	197.63
	LS1C26DCR	0-222100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	453.26
	LS1C26DAM	0-222101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	453.26
	LS1C26DCR-ICB	0-222120	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; SFIC Best	453.26
	LS1C26DAM-ICB	0-222121	LS-1 Stand Alone Keypad Access Control Lockset - American handle; SFIC Best	453.26
	LS1M26DCR	0-242100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	574.76
	LS1M26DAM	0-242101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	574.76
	LS1E26DCR	0-272100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	420.49
	LS1E26DAM	0-272101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	420.49
	LS1D26DCR	0-252100	LS-1 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	595.61
	LS1D26DAM	0-252101	LS-1 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	595.61
	LS2C26DCR	0-223100	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; Schlage C key in lever	581.03

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	LS2C26DAM	0-223101	LS2-Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. American handle; Schlage C key in lever	581.03
	LS2C26DCR-ICB	0-223120	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; SFIC Best	581.03
	LS2C26DAM-ICB	0-223121	LS2- Software Managed Keypad Access Control Lockset - Wireless IR Communications Enabled. American handle; SFIC Best	581.03
	LS2M26DCR	0-243100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	656.21
	LS2M26DAM	0-243101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	656.21
	LS2E26DCR	0-273100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	530.57
	LS2E26DAM	0-273101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	530.57
	LS2D26DCR	0-253100	LS-2 Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	668.24
	LS2D26DAM	0-253101	LS-2 Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	668.24
	LS2PC26DCR, CR	0-224100	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; Schlage C key in lever	729.78
	LS2PC26DAM, AM	0-224101	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. American handle; Schlage C key in lever	729.78
*	LS2PC26DCR-ICB	0-224120	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. Crescent handle; SFIC Best	729.78
	LS2PC26DAM-ICB	0-224121	LS2P- Software Managed Keypad and proximity Access Control Lockset - Wireless IR Communications Enabled. American handle; SFIC Best	729.78
	LS2PM26DCR	0-244100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	809.69
	LS2PM26DAM	0-244101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	809.69
	LS2PE26DCR	0-274100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	692.34
	LS2PE26DAM	0-274101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	692.34
*	LS2PD26DCR	0-254100	LS-2P Stand Alone Keypad Access Control Lockset - Crescent handle; Schlage C key in lever	818.22
	LS2PD26DAM	0-254101	LS-2P Stand Alone Keypad Access Control Lockset - American handle; Schlage C key in lever	818.22
		4-569023	Lever-Crescent Exterior (Solid)	26.73
		4-569001	Lever-Crescent Interior (Solid)	26.73

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
		4-569021	Lever-American Exterior (Solid)	26.73
		4-569002	Lever-American Interior (Solid)	26.73
	ICB	4-569024	Lever-Crescent Exterior IC Core- Best Type	26.73
	ICY	4-569000	Lever-Crescent Exterior IC Core- Yale	33.41
*		4-569004	Lever-Crescent Exterior IC Core- Schlage	33.41
	ICC	4-569006	Lever-Crescent Exterior IC Core- Corbin	33.41
	ICS	4-569008	Lever-Crescent Interior IC Core- Sargent	33.41
	ICB	4-569022	Lever-American Exterior IC Core- Best Type	26.73
	ICY	4-569003	Lever-American Exterior IC Core- Yale	33.41
		4-569005	Lever-American Exterior IC Core- Schlage	33.41
	ICC	4-569007	Lever-American Exterior IC Core- Corbin	33.41
	ICS	4-569009	Lever-American Exterior IC Core- Sargent	33.41
	LSEVD	0-270001	Von Duprin 99	37.49
	LSEP	0-270002	Precision 1100	37.49
	LSEYC	0-270003	Yale 7100 and Corbin ED5200	37.49
	LSED	0-270004	Dorma 9300	37.49
	LSESA	0-270005	Sargent 8800 and Arrow 3800	37.49
	-B2	4-569010	2 3/8" Backset Latch	14.97
	-B3	4-569011	3 3/4" Backset Latch extender	29.94
	-B5	4-569012	5" Backset Latch extender	29.94
	-S2	4-569013	2 3/4" T Strike	18.23
	KA	4-569030	Lockset Keyed Alike	33.41
	LS1P-SP1	4-569019	1 3/8" Door Spacer Kit	30.38
*		4-569057	Latch-2 3/4" Backset	26.73
		4-569010	Latch- 2 3/8" Backset	14.97
		4-569011	Backset Extender-3 3/4"	29.94
		4-569012	Backset Extender-5"	29.94
		4-569013	Strike- 2 3/4" T	18.23
		4-569032	Cylinder-Standard w/2 Keys	10.69
		4-569014	Cylinder-IC Core, 7 Pin (Best type), Combinated, No Keys	22.78
		4-569015	Tailpiece-Marks Conventional "C"	0.74
		4-569016	Tailpiece-Ilco Conventional	0.74
		4-569017	Tailpiece-Schlage Conventional	1.49
		4-569018	Tailpiece-IC Core, 7 Pin	0.74
		2-811003	Battery Pack Holder	13.37

300 International Drive
 Suite 300
 Williamsville, NY 14221
 (888) 556-3998 Tel.
 www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	LS Comm V2	2-088009	LS2 & LS2P Field Upgrade Kit - current firmware 2.0	128.77
	DTD	0-297011	Hand-held DATA TRANSFER DEVICE for wireless infrared (IR) transfer of data and retrieval of stored events from the software managed prox.pad plus IR and LS2/P Series wireless access control locksets. Data is saved to an internal memory for transfer to a PC via USB connection. Powered by 4 "AA" batteries (included). Includes Hub Manager Professional software, USB cable & 4 "AA" batteries.	243.49
*	PIP12VDC	0-291312	PIP: Plug-in-Power Supply 12VDC - Auto Resetting Poly Fuse	18.86
	PIP24VDC	0-291324	PIP: Plug-in-Power Supply 24VDC - Auto Resetting Poly Fuse	23.35
	PIP12VAC	0-291212	PIP: Plug-in-Power Supply 12VAC - Auto Resetting Poly Fuse	16.48
	PIP16VAC	0-291216	PIP: Plug-in-Power Supply 16.5VAC - Auto Resetting Poly Fuse	16.48
	PIP24VAC	0-291224	PIP: Plug-in-Power Supply 24VAC - Auto Resetting Poly Fuse	18.74
	PWR/TMPR12	0-291100	Access Control Power Supply with Tamper Module - board level	53.55
	PWR/TMPR12P	0-291200	Access system power supply with tamper circuit - in cabinet. 1 amp, 12 volt AC/DC. Includes tamper switches and transformer.	87.76
	PG 1224-3	0-291303	12/24 VDC 2.5A Access Control power supply - board only	39.39
	PG 1224-3-C	0-291304	12/24 VDC 2.5A Access Control power supply - in cabinet	62.73
	270	0-200270	Tamper Socket (1/4" Drive) for 289 Tamper Screws	17.42
	280	0-200280	Weatherproof Surface-Mount Backbox for 212w and 232w	17.05
	281	0-200281	Flush Mount Single-Gang Backbox for 232/232i and w	7.48
	284	0-200284	Leaded Accessory Relay. (5) Amp.	28.58
	285	0-200250-B	Surface Mount, Single Gang backbox - Black - for i & e style keypads. Single lot	14.83
	286	0-200250-C	Surface Mount, Single Gang backbox; Chrome plated for i & e style keypads. Single lot	19.56
*	293	0-219000	Three relay plug-on board for i,w, style keypads	39.97
*	EZ-Rex	0-291400	Easy Touch Request to Exit (Heavy Duty)	95.27
	510	0-510000	510 Tri-Gard Audio Detector 60 Foot Radius	43.48
	550LS	0-550000	Signature Series Audio 25 Foot Radius Surface Mount*	54.83
*	555LS	0-555000	Signature Series Audio 25 Foot Radius Surface Mount *	51.90
	557LS	0-557000	Signature Series Audio 25 Foot Radius Flush Single-Gang *	50.51
*	517	0-517000	Test for Signature Series Audio Glassbreak Detectors*	228.44
*	834L	0-834000	VIPER PLUS white	34.00
*	834LBR	0-834001	VIPER PLUS brown	34.00
*	834LWC	0-834010	VIPER PLUS with CONTACT white	40.72
*	262B	0-262130	PARTITIONER. 2 ZONE CONTROL SYSTEM: 1-Amp Form C Relay, 16 User Codes, Entry/Exit Delay, Siren Driver Keypad Programmable, PreAlarm, Panic, Backlit keys, Surface mount box. 10.5 - 16 VDC operation.	61.09

300 International Drive
Suite 300
Williamsville, NY 14221
(888) 556-3998 Tel.
www.BECAudio.com



CHG	Marketing #	Mfg. Part #	Description	Dealer
	PKAC-110	0-290110	AC PowerKey 110 (110 volt operation with circuit monitoring)	395.68
	PKAC-220	0-290220	AC PowerKey 220 (220 volt operation with circuit monitoring)	395.68
Prices: All prices are quoted in US Dollars. Prices are subject to change without notice.				