



Price List

Effective April 1, 2011

Mail Orders To: P.O. Box 459
Rosemount, MN 55068

Phone Orders To: 651-423-1126 or 800-328-0953

Fax Orders To: 651-423-2662 or 800-334-8823

Web Site: www.reeseusa.com

Freight:

All orders are F.O.B. Factory. Extended to open credit customers only - normal freight charges will be prepaid on shipments of thresholds and weatherstripping in continental United States on orders having a net value of \$950.00 or more, route our selection, destination is to one shipping address per order. All strip door orders are F.O.B. Factory. Delivery notification charges, inside delivery charges, construction site delivery charges, or "out of the ordinary" shipping charges due to customers shipping locations will be billed to customer regardless of net value of order.

Minimum Order:

These prices cover standard packing only to one shipping address per order. An invoice charge of \$10.00 will be added on orders less than \$75.00 net.

Brass

Brass prices subject to change due to market value.

Terms:

Standard terms are 2% if paid 10 days following the Date of Invoice and net cash 30 days. Payment can be made by Cash or Check. Standard terms are available to customers with satisfactory credit. Accounts unpaid at 60 days from the date of invoice will be subject to a late payment charge of 1-1/2% per month of the total balance. Also accounts unpaid after 60 days will be subject to Credit Card or C.O.D. shipments. Reese can accept American Express, MasterCard, or VISA. Credit Card terms are Net Only.

The effective price is the price at time of shipment. The exception is orders with quoted prices for individual jobs. If, under the law now or hereafter passed, the seller is required to pay a tax on sales or an excise tax, the amount of these taxes will be added to the invoice value.

We shall not be responsible for any loss or damaged resulting from delay in filling orders caused by fire, flood, strikes, differences with workmen, government regulations, accidents, transportation delays, shortages of material, or other causes beyond our control.

Prices and terms are subject to change without notice.
Parts maybe discontinued without notice.

Claims:

Goods in transit at the risk of purchaser for loss or damage. Claims for shortage or improper fulfillment of orders must be made within two weeks from the date of receipt. If goods appear defective the buyer should discontinue their use and notify Reese at once so the matter can be investigated. Reese does not assume liability for consequential damages or delays and claims for labor will not be allowed. Reese, at it's option, shall repair or replace any part or component part which shall prove defective to the original purchaser.

Warranty

All Reese Products are guaranteed for two years against defects in material or workmanship. Defective goods will be replaced or repaired, at our option. No claims for damage incurred or work done thereon will be allowed. Reese does not assume liability for consequential damages or delays and claims for labor will not be allowed.

Cancellation Charges:

Orders for special products, non-standard sizes or strip doors are subject to a cancellation charge based on labor and material used prior to cancellation.

Return Goods:

No merchandise will be accepted for return without prior written approval. Specially fabricated products, non-standard drilling, non-standard sizes, or strip doors are not returnable. Returned material must be of a recent sale (less than a year from invoice date), standard stock sizes, and in resalable condition. A minimum of 32% restocking charge plus freight charges will be made.

THRESHOLD PRICING

All Prices for thresholds include standard fasteners which are #10 Phillips Flat Head Wood Screws.
For anchors and other fasteners - add to the list price per foot as follows:

| | | |
|--|---------------|------|
| Wood screws and Plastic Plug | WS/PA | .36 |
| Wood screws and Lead Expansion Sheilds | WS/LES | .46 |
| 10-24 Machine Screws and Lead Anchors | 10-24 MSA | .65 |
| 1/4-20 Machine Screws and Lead Anchors | 1/4-20 MSA | .82 |
| 1/4" x 2 Flat Head Slotted Combo Anchor | FHSL | 1.75 |
| #10 Stainless Steel Wood Screws | SS Wood Screw | .90 |
| 10-24 Stainless Steel Machine Screws and Lead Anchors | 10-24 SSMSA | 1.08 |
| 1/4-20 Stainless Steel Machine Screws and Lead Anchors | 1/4-20 SSMSA | 1.75 |
| 10 x 1-1/2 Torx Head Wood Screws | | 2.42 |
| 10-24 x 1-1/2 Torx Machine Screws | | 2.47 |

WEATHERSTRIP PRICING

Standard screws for Jamb Weatherstrip are #6 x 5/8 Self Tapping Sheet Metal Screws. For other fasteners - add to the list price per foot as follows:

| | |
|---------------------------------------|------|
| #6 Tek (self drilling) screws | .25 |
| #6 Torx sheet metal screws | 1.20 |
| #6 Stainless steel sheet metal screws | .46 |
| Thru - Bolts for Part 183 | 2.63 |

WEATHERSTRIPS & THRESHOLDS INFORMATION

1. Lengths over 12 feet are billed at 15'6". Odd inches are billed at next higher even inch.
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Thresholds ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Thresholds ordered over 120" are supplied with out holes.
5. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
6. To receive UL label on parts, add prefix "F" when ordering.

FINISH and MATERIAL DESIGNATIONS

| | |
|---------------------------------|-----------------------------|
| A Aluminum mill finish | B Brass material |
| C Clear anodized aluminum | SP Steel material - primed |
| D Dark bronze anodized aluminum | SRS Slip resistant surface |
| G Gold anodized aluminum | SS Stainless steel material |

Insert Options

| | |
|----------------|--------|
| PR Polyprene | P Pile |
| S Silicone | |
| U Polyurethane | |
| V Vinyl | |

SPECIAL SERVICES AVAILABLE

| | | | |
|-----------------------------------|-----------|----------------------------|----------|
| Alum. Beveling, per foot per edge | 4.65/ft | Alum. RCE | 35.00/ea |
| Alum. Ripping, per foot per cut | 4.65/ft | Brass RCE | 45.00/ea |
| Alum. Welding, per foot per weld | 7.50/ft | Alum. L-Notch, one side | 5.00/ea |
| Brass Beveling, per foot per edge | 7.20/ft | Brass L-Notch, one side | 6.70/ea |
| Brass Ripping, per foot per cut | 7.20/ft | Alum. Jamb Notch, one side | 10.00/ea |
| Brass Welding, per foot per weld | 10.90/ft | Brass Jamb Notch, one side | 12.40/ea |
| Special Drilling | Per Quote | Polishing bronze charge | Add 50% |

Tape can be applied on certain products upon request. Call customer service for details.

Per Quote

Many aluminum thresholds can have a "slip resistant surface" (SRS) applied. Request a quote for this as well as threshold floor closer covers.

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F" when ordering.

| Catalog Number | List Price |
|--|---------------|
| BlazeSeal-18 FT | 63.74 /ea |
| BlazeSeal-21 FT | 74.42 /ea |
| E1A | 2.49 /ft |
| E1D | 3.95 /ft |
| TMR6 for 36" Door | 248.88 /ea |
| TMR6 for 72" Door | 429.30 /ea |
| TMR12 for 36" Door | 396.44 /ea |
| TMR12 for 72" Door | 737.76 /ea |
| TS1APR | 5.09 /ft |
| TS1AS | 5.29 /ft |
| TS1AU | 5.91 /ft |
| TS1AV | 4.49 /ft |
| TS1DPR | 6.39 /ft |
| TS1DS | 6.74 /ft |
| TS1DU | 7.89 /ft |
| TS1DV | 5.79 /ft |
| E2A | 3.09 /ft |
| E2D | 4.55 /ft |
| TS2A | 12.99 /ft |
| TS2D | 14.99 /ft |
| DKB3 | 39.14 /ea |
| TJ3A | 1.23 /ft |
| TJ3B | 3.19 /ft |
| TL4C | 2.03 /ft |
| TL4D | 3.83 /ft |
| TL4G | 4.30 /ft |
| S4LA | 12.93 /ft |
| S4LD | 15.24 /ft |
| HD5A | 23.92 /ft |
| HD5D | 32.19 /ft |
| BAP14A per Inch of | |
| Width (Min. 2" wide) | 10.07 /InWide |
| Example: 4" wide = (4 * 10.07) =40.28/ft | |
| M15A | 2.37 /ft |
| M15C | 3.10 /ft |
| M15D | 4.13 /ft |
| M15G | 4.39 /ft |
| BAP18A per Inch of | |
| Width (Min. 2" wide) | 6.19 /InWide |
| Example: 4" wide = (4 * 6.19) =24.76/ft | |
| 33C | 10.15 /ft |
| 33D | 12.50 /ft |
| 33G | 13.07 /ft |

| Catalog Number | List Price |
|----------------|------------|
| M35A | 3.25 /ft |
| M35C | 3.61 /ft |
| M35D | 4.49 /ft |
| M35G | 4.74 /ft |
| 39C | 6.71 /ft |
| 39D | 7.75 /ft |
| 39G | 7.91 /ft |
| TO40A | 14.19 /ft |
| TO40D | 17.79 /ft |
| 49C | 4.15 /ft |
| 49D | 5.39 /ft |
| 49G | 5.87 /ft |
| 59C | 14.61 /ft |
| 59D | 16.35 /ft |
| 59G | 16.35 /ft |
| DS62A | 1.48 /ft |
| DS62C | 1.89 /ft |
| DS62D | 3.09 /ft |
| DS62G | 3.09 /ft |
| DS63A | 1.64 /ft |
| DS63C | 2.39 /ft |
| DS63D | 3.49 /ft |
| DS63G | 3.59 /ft |
| 64A | 4.19 /ft |
| 64C | 5.50 /ft |
| 64D | 7.60 /ft |
| 64G | 7.80 /ft |
| DS69C | 3.69 /ft |
| DS69D | 4.19 /ft |
| DS69G | 4.19 /ft |
| DS70C | 2.99 /ft |
| DS70D | 4.19 /ft |
| DS70G | 4.67 /ft |
| DS75A | 1.32 /ft |
| DS75C | 1.75 /ft |
| DS75D | 3.37 /ft |
| DS75G | 3.37 /ft |
| DS76C | 4.96 /ft |
| DS76D | 6.21 /ft |
| DS76G | 6.21 /ft |
| DS77C | 3.59 /ft |
| DS77D | 4.49 /ft |
| DS77G | 4.49 /ft |

| Catalog Number | List Price |
|----------------|------------|
| DS78A | 4.05 /ft |
| DS78B | 17.94 /ft |
| DS78C | 4.09 /ft |
| DS78D | 5.39 /ft |
| DS78G | 5.39 /ft |
| DS79C | 5.15 /ft |
| DS79D | 6.95 /ft |
| DS79G | 7.29 /ft |
| 86AP | 3.59 /ft |
| 86AV | 4.13 /ft |
| 86DP | 4.99 /ft |
| 86DV | 4.99 /ft |
| 86GP | 5.27 /ft |
| 86GV | 5.27 /ft |
| 87C | 10.29 /ft |
| 87D | 14.36 /ft |
| 87G | 16.09 /ft |
| 91A | 5.75 /ft |
| 92C | 4.91 /ft |
| 92D | 6.11 /ft |
| 92G | 6.70 /ft |
| 93C | 5.12 /ft |
| 93D | 6.96 /ft |
| 93G | 7.37 /ft |
| 95CV | 13.99 /ft |
| 95CP | 13.99 /ft |
| 95C | 12.69 /ft |
| 95C X 95CP | 26.68 /ft |
| 95C X 95CV | 26.68 /ft |
| 95DV | 17.13 /ft |
| 95DP | 17.13 /ft |
| 95D | 16.50 /ft |
| 95D X 95DP | 33.63 /ft |
| 95D X 95DV | 33.63 /ft |
| 95GV | 18.99 /ft |
| 95GP | 18.99 /ft |
| 95G | 17.99 /ft |
| 95G X 95GP | 36.98 /ft |
| 95G X 95GV | 36.98 /ft |
| 99C | 17.00 /ft |
| 99D | 18.98 /ft |
| 99G | 18.98 /ft |
| 103C | 4.74 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| 103D | 5.79 /ft |
| 103G | 6.15 /ft |
| S104A | 8.59 /ft |
| S104D | 12.69 /ft |
| S105A | 11.99 /ft |
| S105D | 14.89 /ft |
| DS106A | 1.40 /ft |
| DS106C | 2.19 /ft |
| DS106D | 2.29 /ft |
| DS106G | 3.11 /ft |
| 126AV | 4.43 /ft |
| 126DV | 4.94 /ft |
| 126GV | 4.94 /ft |
| 128CP | 4.71 /ft |
| 128CV | 4.71 /ft |
| 128DP | 5.81 /ft |
| 128DV | 5.81 /ft |
| 128GP | 5.81 /ft |
| 128GV | 5.81 /ft |
| 129CP | 5.28 /ft |
| 129CV | 4.99 /ft |
| 129DP | 7.75 /ft |
| 129DV | 7.60 /ft |
| 129GP | 7.80 /ft |
| 129GV | 7.63 /ft |
| T130B | 70.19 /ft |
| 132C | 2.01 /ft |
| 132D | 3.01 /ft |
| 132G | 3.01 /ft |
| 133C | 2.09 /ft |
| 133D | 2.98 /ft |
| 133G | 2.98 /ft |
| V138A | 3.49 /ft |
| V138D | 5.59 /ft |
| T150A | 9.23 /ft |
| T150A x Pan | 10.02 /ft |
| T150D | 13.11 /ft |
| T150D x Pan | 14.09 /ft |
| 183C | 4.85 /ft |
| 183D | 6.30 /ft |
| 183G | 7.07 /ft |
| 183SP-84 | 77.99 /ea |
| 183SP-96 | 96.57 /ea |

| Catalog Number | List Price |
|---------------------|------------|
| 183SP-120 | 122.99 /ea |
| 183SS-84 | 159.64 /ea |
| 183SS-96 | 182.59 /ea |
| 184A | 4.65 /ft |
| 184C | 5.45 /ft |
| 184D | 8.15 /ft |
| 184G | 8.31 /ft |
| 195C (ASTRAGAL SET) | 34.99 /ft |
| 195D (ASTRAGAL SET) | 40.39 /ft |
| 195G (ASTRAGAL SET) | 42.99 /ft |
| R199A | 2.15 /ft |
| R199B | 19.99 /ft |
| R199D | 4.99 /ft |
| R199G | 4.99 /ft |
| R201A | 4.56 /ft |
| R201C | 4.67 /ft |
| R201D | 5.99 /ft |
| R201G | 6.29 /ft |
| 202C | 3.23 /ft |
| 202D | 4.96 /ft |
| 202G | 5.17 /ft |
| 203C | 3.11 /ft |
| 203D | 4.70 /ft |
| 203G | 4.84 /ft |
| S204A | 8.46 /ft |
| S204B | 86.99 /ft |
| S204D | 11.83 /ft |
| S205A | 10.74 /ft |
| S205B | 100.31 /ft |
| S205D | 14.99 /ft |
| S206A | 13.29 /ft |
| S206B | 129.43 /ft |
| S206D | 17.62 /ft |
| S207A | 18.24 /ft |
| S207B | 153.67 /ft |
| S207D | 21.99 /ft |
| S211A | 6.11 /ft |
| S211D | 9.11 /ft |
| S225A | 4.69 /ft |
| S225B | 36.23 /ft |
| S225D | 6.69 /ft |
| 231R | 6.25 /ft |
| 232A | 7.25 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 232B | 54.00 /ft |
| 232D | 9.01 /ft |
| 233A | 9.55 /ft |
| 233B | 80.00 /ft |
| 233D | 13.30 /ft |
| 234A | 12.60 /ft |
| 234B | 107.00 /ft |
| 234D | 15.60 /ft |
| 235A | 15.24 /ft |
| 235B | 146.00 /ft |
| 235D | 20.19 /ft |
| 236A | 17.90 /ft |
| 236B | 154.00 /ft |
| 236D | 22.60 /ft |
| 237A | 4.34 /ft |
| 237D | 6.26 /ft |
| 238A | 6.38 /ft |
| 238D | 9.45 /ft |
| S239A | 15.69 /ft |
| S239B | 140.99 /ft |
| S239D | 22.43 /ft |
| S243A | 9.11 /ft |
| S243D | 12.71 /ft |
| S245A | 18.10 /ft |
| S245B | 166.54 /ft |
| S245D | 23.99 /ft |
| S247A | 6.35 /ft |
| S247D | 8.54 /ft |
| S248APR | 9.27 /ft |
| S248AP | 8.81 /ft |
| S248AU | 9.94 /ft |
| S248AV | 8.89 /ft |
| S248DPR | 11.90 /ft |
| S248DP | 11.31 /ft |
| S248DU | 12.62 /ft |
| S248DV | 11.44 /ft |
| S249A | 7.80 /ft |
| S249D | 10.13 /ft |
| S250A | 13.89 /ft |
| S250D | 17.24 /ft |
| S252APR | 13.29 /ft |
| S252AV | 12.19 /ft |
| S252AP | 12.29 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| S252AU | 15.02 /ft |
| S252DPR | 17.27 /ft |
| S252DV | 15.59 /ft |
| S252DP | 15.59 /ft |
| S252DU | 18.46 /ft |
| S255A | 12.07 /ft |
| S255D | 15.61 /ft |
| S256A | 12.89 /ft |
| S256D | 14.47 /ft |
| S257APR | 11.15 /ft |
| S257AS | 10.64 /ft |
| S257AU | 12.09 /ft |
| S257AV | 9.89 /ft |
| S257DPR | 13.99 /ft |
| S257DS | 13.99 /ft |
| S257DU | 15.42 /ft |
| S257DV | 13.31 /ft |
| S258A | 12.38 /ft |
| S258D | 16.72 /ft |
| 260A | 3.14 /ft |
| 260D | 5.24 /ft |
| 261A | 4.38 /ft |
| 261B | 41.60 /ft |
| 261D | 6.47 /ft |
| 262A | 5.99 /ft |
| 262D | 8.70 /ft |
| S263A | 6.29 /ft |
| S263D | 8.63 /ft |
| S266A | 7.44 /ft |
| S266D | 9.23 /ft |
| 270 | 18.80 /ft |
| S274A | 15.89 /ft |
| S274D | 22.16 /ft |
| 275A | 5.55 /ft |
| 275C | 6.59 /ft |
| 275D | 8.75 /ft |
| 275G | 8.81 /ft |
| 276C | 5.41 /ft |
| 276D | 7.20 /ft |
| 276G | 7.35 /ft |
| 277A | 21.84 /ft |
| 277D | 29.19 /ft |
| 278A | 23.00 /ft |

| Catalog Number | List Price |
|---|------------|
| 278D | 33.00 /ft |
| 279A | 30.00 /ft |
| 279D | 41.40 /ft |
| 280A | 31.19 /ft |
| 280D | 43.39 /ft |
| S281AP | 15.59 /ft |
| S281AV | 15.99 /ft |
| S281APR | 16.29 /ft |
| S281AU | 17.89 /ft |
| S281DP | 21.59 /ft |
| S281DV | 20.48 /ft |
| S281DPR | 21.49 /ft |
| S281DU | 23.56 /ft |
| S282A | 15.54 /ft |
| S282D | 19.83 /ft |
| S283A | 7.31 /ft |
| S283AS | 9.36 /ft |
| S283D | 9.40 /ft |
| S283DS | 11.79 /ft |
| S284A | 8.51 /ft |
| S284AS | 11.31 /ft |
| S284D | 11.87 /ft |
| S284DS | 14.88 /ft |
| S285A | 10.79 /ft |
| S285AS | 13.73 /ft |
| S285D | 14.03 /ft |
| S285DS | 17.77 /ft |
| V299AV | 5.67 /ft |
| V299DV | 7.91 /ft |
| V300A | 13.29 /ft |
| V300D | 17.26 /ft |
| V301A | 13.92 /ft |
| V301D | 17.09 /ft |
| ** Automatics -- See Note 4 above ** | |
| 320C-36 | 61.50 /ea |
| 320C-48 | 69.99 /ea |
| 320D-36 | 70.20 /ea |
| 320D-48 | 81.50 /ea |
| 320G-36 | 71.10 /ea |
| 320G-48 | 82.50 /ea |
| 320CxLead-36 | 115.00 /ea |
| 320CxLead-48 | 140.31 /ea |
| 320DxLead-36 | 125.88 /ea |

| Catalog Number | List Price |
|---|------------|
| ** Automatics -- See Note 4 above ** | |
| 320DxLead-48 | 152.89 /ea |
| 320GxLead-36 | 125.88 /ea |
| 320GxLead-48 | 152.89 /ea |
| 321C-24 | 27.70 /ea |
| 321C-36 | 34.00 /ea |
| 321C-48 | 38.07 /ea |
| 321D-24 | 32.14 /ea |
| 321D-36 | 39.00 /ea |
| 321D-48 | 45.00 /ea |
| 321G-24 | 32.14 /ea |
| 321G-36 | 42.00 /ea |
| 321G-48 | 43.00 /ea |
| 323A | 4.22 /ft |
| 323B | 17.97 /ft |
| 323C | 4.35 /ft |
| 323D | 5.40 /ft |
| 323G | 6.00 /ft |
| 323SS | 21.49 /ft |
| ** Automatics -- See Note 4 above ** | |
| 330C-36 | 91.60 /ea |
| 330C-48 | 114.60 /ea |
| 330D-36 | 98.28 /ea |
| 330D-48 | 122.00 /ea |
| 330G-36 | 101.28 /ea |
| 330G-48 | 127.46 /ea |
| 340 | 2.98 /ft |
| 350 Strip Only | 2.33 /ft |
| 350 x Nails | 2.65 /ft |
| 353A | 3.45 /ft |
| 353C | 3.99 /ft |
| 353D | 5.26 /ft |
| 353G | 5.26 /ft |
| 354A | 5.51 /ft |
| 354C | 5.59 /ft |
| 354D | 6.75 /ft |
| 354G | 6.85 /ft |
| 362A | 4.82 /ft |
| 362B | 20.79 /ft |
| 362C | 4.99 /ft |
| 362D | 6.29 /ft |
| 362G | 6.69 /ft |
| 364SS | 22.23 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|---|------------|
| ** Automatics -- See Note 4 above ** | |
| 370A-36 | 47.00 /ea |
| 370A-48 | 55.47 /ea |
| 370A-60 | 66.78 /ea |
| 370AxLead-36 | 96.78 /ea |
| 370AxLead-48 | 120.18 /ea |
| 370AxLead-60 | 143.57 /ea |
| 371A-36 | 79.05 /ea |
| 371A-48 | 92.78 /ea |
| 371A-60 | 106.51 /ea |
| 372A-36 pre-cut to 35-1/2 | 42.99 /ea |
| 372A-48 | 53.89 /ea |
| 373SS | 18.15 /ft |
| 377C | 5.00 /ft |
| 377D | 5.84 /ft |
| 377G | 6.19 /ft |
| 386A | 5.00 /ft |
| 386D | 5.83 /ft |
| 386G | 5.83 /ft |
| 393C | 14.50 /ft |
| 393D | 19.03 /ft |
| 393G | 22.13 /ft |
| 399C | 18.90 /ft |
| 399D | 21.30 /ft |
| 399G | 21.30 /ft |
| 403A | 4.95 /ft |
| 403C | 5.35 /ft |
| 403D | 6.47 /ft |
| 403G | 6.47 /ft |
| S404A | 6.08 /ft |
| S404B | 82.75 /ft |
| S404D | 10.19 /ft |
| S405A | 9.49 /ft |
| S405D | 13.89 /ft |
| S406A | 11.75 /ft |
| S406D | 15.96 /ft |
| S407A | 16.09 /ft |
| S407B | 129.99 /ft |
| S407D | 19.99 /ft |
| S408A | 18.11 /ft |
| S408D | 23.99 /ft |
| S411A | 11.59 /ft |
| S411D | 14.79 /ft |

| Catalog Number | List Price |
|---|------------|
| S412A | 13.49 /ft |
| S412D | 16.89 /ft |
| S424A | 6.79 /ft |
| S424D | 10.40 /ft |
| S425A | 9.80 /ft |
| S425D | 14.29 /ft |
| S426A | 11.89 /ft |
| S426D | 15.90 /ft |
| S427A | 15.99 /ft |
| S427D | 19.99 /ft |
| S428A | 19.47 /ft |
| S428D | 25.70 /ft |
| ** Automatics -- See Note 4 above ** | |
| 430A-36 | 86.28 /ea |
| 430A-48 | 107.46 /ea |
| 437A | 4.69 /ft |
| 437B | 35.49 /ft |
| 437D | 5.87 /ft |
| S439A | 8.69 /ft |
| S439D | 10.89 /ft |
| DB469C | 6.95 /ft |
| DB469D | 8.03 /ft |
| DB469G | 8.39 /ft |
| S470A | 4.79 /ft |
| S470AS | 7.49 /ft |
| S470D | 6.71 /ft |
| S470DS | 10.43 /ft |
| S471A | 13.29 /ft |
| S471D | 19.31 /ft |
| S472A | 11.09 /ft |
| S472D | 16.68 /ft |
| S473A | 14.99 /ft |
| S473D | 21.49 /ft |
| S474AP | 20.28 /ft |
| S474AV | 19.48 /ft |
| S474APR | 21.04 /ft |
| S474AU | 22.79 /ft |
| S474DP | 23.74 /ft |
| S474DV | 24.31 /ft |
| S474DPR | 25.29 /ft |
| S474DU | 27.64 /ft |
| S475A | 16.99 /ft |
| S475D | 23.49 /ft |

| Catalog Number | List Price |
|----------------|------------|
| S476AP | 22.62 /ft |
| S476AV | 22.62 /ft |
| S476APR | 23.40 /ft |
| S476AU | 26.18 /ft |
| S476DP | 26.99 /ft |
| S476DV | 25.81 /ft |
| S476DPR | 26.99 /ft |
| S476DU | 30.60 /ft |
| S478A | 19.99 /ft |
| S478D | 25.43 /ft |
| S479A | 21.59 /ft |
| S479D | 28.67 /ft |
| 480A | 7.99 /ft |
| 480D | 9.99 /ft |
| S481A | 23.99 /ft |
| S481D | 31.79 /ft |
| S482A | 7.54 /ft |
| S482AS | 10.77 /ft |
| S482D | 10.75 /ft |
| S482DS | 13.33 /ft |
| S483APR | 10.99 /ft |
| S483AS | 10.99 /ft |
| S483AU | 11.97 /ft |
| S483AV | 10.19 /ft |
| S483BPR | 101.89 /ft |
| S483BS | 101.89 /ft |
| S483BU | 108.58 /ft |
| S483BV | 101.14 /ft |
| S483DPR | 14.15 /ft |
| S483DS | 14.15 /ft |
| S483DU | 15.51 /ft |
| S483DV | 13.31 /ft |
| S484APR | 11.29 /ft |
| S484AP | 10.39 /ft |
| S484AU | 13.74 /ft |
| S484AV | 10.19 /ft |
| S484DPR | 15.83 /ft |
| S484DP | 14.99 /ft |
| S484DU | 19.40 /ft |
| S484DV | 14.69 /ft |
| S485APR | 11.39 /ft |
| S485AP | 10.43 /ft |
| S485AU | 13.72 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| S485AV | 10.43 /ft |
| S485DPR | 15.79 /ft |
| S485DP | 14.99 /ft |
| S485DU | 18.99 /ft |
| S485DV | 14.79 /ft |
| S486APR | 12.59 /ft |
| S486AP | 11.87 /ft |
| S486AU | 14.34 /ft |
| S486AV | 11.87 /ft |
| S486DPR | 16.69 /ft |
| S486DP | 15.79 /ft |
| S486DU | 20.35 /ft |
| S486DV | 15.71 /ft |
| S487APR | 12.52 /ft |
| S487AP | 11.87 /ft |
| S487AU | 14.78 /ft |
| S487AV | 11.77 /ft |
| S487BPR | 122.19 /ft |
| S487BP | 121.99 /ft |
| S487BU | 130.20 /ft |
| S487BV | 121.89 /ft |
| S487DPR | 16.55 /ft |
| S487DP | 15.94 /ft |
| S487DU | 21.53 /ft |
| S487DV | 15.78 /ft |
| S488APR | 12.59 /ft |
| S488AP | 11.99 /ft |
| S488AU | 15.20 /ft |
| S488AV | 11.69 /ft |
| S488DPR | 16.89 /ft |
| S488DP | 16.55 /ft |
| S488DU | 21.53 /ft |
| S488DV | 16.55 /ft |
| S489APR | 13.03 /ft |
| S489AP | 12.87 /ft |
| S489AU | 15.09 /ft |
| S489AV | 12.60 /ft |
| S489DPR | 19.70 /ft |
| S489DP | 19.33 /ft |
| S489DU | 22.48 /ft |
| S489DV | 15.96 /ft |
| S490APR | 16.03 /ft |
| S490AP | 15.40 /ft |

| Catalog Number | List Price |
|---|------------|
| S490AU | 17.01 /ft |
| S490AV | 15.97 /ft |
| S490DPR | 20.15 /ft |
| S490DP | 19.52 /ft |
| S490DU | 22.49 /ft |
| S490DV | 19.38 /ft |
| S498A | 14.99 /ft |
| S498AS | 18.23 /ft |
| S498D | 18.95 /ft |
| S498DS | 22.07 /ft |
| 499C | 22.00 /ft |
| 499D | 24.50 /ft |
| 499G | 24.50 /ft |
| S500A | 18.68 /ft |
| S500AS | 20.03 /ft |
| S500D | 22.32 /ft |
| S500DS | 23.93 /ft |
| S501A | 21.42 /ft |
| S501AS | 22.94 /ft |
| S501D | 24.99 /ft |
| S501DS | 26.79 /ft |
| S502A | 24.52 /ft |
| S502AS | 26.27 /ft |
| S502D | 28.07 /ft |
| S502DS | 30.08 /ft |
| S512A | 11.63 /ft |
| S512D | 17.87 /ft |
| S514A | 11.63 /ft |
| S514D | 17.69 /ft |
| ** Automatics -- See Note 4 above ** | |
| 521C-36 | 99.60 /ea |
| 521C-48 | 116.22 /ea |
| 521C-60 | 139.47 /ea |
| 521C-96 | 193.64 /ea |
| 521D-36 | 109.04 /ea |
| 521D-48 | 127.23 /ea |
| 521D-60 | 149.73 /ea |
| 521D-96 | 205.85 /ea |
| 521G-36 | 109.04 /ea |
| 521G-48 | 127.23 /ea |
| 521G-60 | 149.73 /ea |
| 521G-96 | 205.85 /ea |
| 544A | 6.21 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 544D | 8.63 /ft |
| 548A | 6.21 /ft |
| 548D | 8.63 /ft |
| 551A | 6.21 /ft |
| 551D | 8.63 /ft |
| T550A | 11.89 /ft |
| T550D | 15.99 /ft |
| FBR555-36" | 158.71 /ea |
| FBR555-48" | 211.63 /ea |
| FBR555-72" | 317.44 /ea |
| S563A | 8.51 /ft |
| S563D | 11.75 /ft |
| S564A | 4.77 /ft |
| S564D | 6.21 /ft |
| S565A | 4.89 /ft |
| S565D | 6.47 /ft |
| S567A | 20.19 /ft |
| S567D | 23.91 /ft |
| S568AP | 21.32 /ft |
| S568AV | 21.05 /ft |
| S568APR | 21.84 /ft |
| S568AU | 22.84 /ft |
| S568DP | 24.31 /ft |
| S568DV | 24.03 /ft |
| S568DPR | 24.84 /ft |
| S568DU | 25.93 /ft |
| S569A | 23.36 /ft |
| S569D | 27.11 /ft |
| S570A | 26.53 /ft |
| S570D | 30.27 /ft |
| S571A | 29.72 /ft |
| S571D | 33.45 /ft |
| 574C-36 | 23.22 /ea |
| 574C-48 | 30.96 /ea |
| 574C-84 | 54.18 /ea |
| 574C-96 | 61.92 /ea |
| 574D-36 | 26.97 /ea |
| 574D-48 | 35.96 /ea |
| 574D-84 | 62.93 /ea |
| 574D-96 | 71.92 /ea |
| 574G-36 | 27.57 /ea |
| 574G-48 | 36.76 /ea |
| 574G-84 | 64.33 /ea |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| 574G-96 | 73.52 /ea |
| T575A | 14.84 /ft |
| T575D | 22.59 /ft |
| 588D-18 FT | 48.50 /ea |
| 588D-21 FT | 56.83 /ea |
| 588D-24 FT | 65.35 /ea |
| 588CH-18 FT | 48.50 /ea |
| 588CH-21 FT | 56.83 /ea |
| 588CH-24 FT | 65.35 /ea |
| 588W-18 FT | 48.50 /ea |
| 588W-21 FT | 56.83 /ea |
| 588W-24 FT | 65.35 /ea |
| DB590AP | 6.02 /ft |
| DB590CP | 8.01 /ft |
| DB590DP | 9.57 /ft |
| DB590GP | 9.57 /ft |
| DB591A | 3.19 /ft |
| DB591AF | 3.19 /ft |
| DB591AP | 3.39 /ft |
| DB591AU | 7.65 /ft |
| DB591D | 4.03 /ft |
| DB591DF | 4.15 /ft |
| DB591DP | 4.48 /ft |
| DB591DU | 8.76 /ft |
| DB591G | 4.31 /ft |
| DB591GF | 4.31 /ft |
| DB591GP | 4.48 /ft |
| DB591GU | 8.76 /ft |
| DB592A | 4.29 /ft |
| DB592AF | 4.69 /ft |
| DB592AU | 9.61 /ft |
| DB592C | 4.75 /ft |
| DB592CF | 4.91 /ft |
| DB592CU | 10.44 /ft |
| DB592D | 6.59 /ft |
| DB592DF | 6.46 /ft |
| DB592DU | 13.26 /ft |
| DB592G | 6.59 /ft |
| DB592GF | 6.46 /ft |
| DB592GU | 13.25 /ft |
| DB593A | 3.49 /ft |
| DB593AF | 3.59 /ft |
| DB593AP | 3.75 /ft |
| DB593AU | 8.36 /ft |

| Catalog Number | List Price |
|----------------|------------|
| DB593C | 3.85 /ft |
| DB593CF | 3.99 /ft |
| DB593CU | 9.02 /ft |
| DB593CP | 4.15 /ft |
| DB593D | 5.39 /ft |
| DB593DF | 5.49 /ft |
| DB593DP | 5.64 /ft |
| DB593DU | 11.53 /ft |
| DB593G | 5.39 /ft |
| DB593GF | 5.49 /ft |
| DB593GP | 5.64 /ft |
| DB593GU | 11.53 /ft |
| DB594A | 4.59 /ft |
| DB594AF | 4.79 /ft |
| DB594AU | 10.49 /ft |
| DB594C | 5.49 /ft |
| DB594CF | 5.49 /ft |
| DB594CU | 11.65 /ft |
| DB594D | 7.09 /ft |
| DB594DF | 7.19 /ft |
| DB594DU | 14.47 /ft |
| DB594G | 7.19 /ft |
| DB594GF | 7.19 /ft |
| DB594GU | 14.47 /ft |
| DB595A | 5.68 /ft |
| DB595AF | 5.68 /ft |
| DB595AU | 12.24 /ft |
| DB595C | 6.20 /ft |
| DB595CF | 6.59 /ft |
| DB595CU | 13.33 /ft |
| DB595D | 9.19 /ft |
| DB595DF | 9.60 /ft |
| DB595DU | 18.47 /ft |
| DB595G | 9.19 /ft |
| DB595GF | 9.36 /ft |
| DB595GU | 18.47 /ft |
| DB596A | 5.55 /ft |
| DB596AF | 5.59 /ft |
| DB596AU | 11.82 /ft |
| DB596C | 6.09 /ft |
| DB596CF | 6.19 /ft |
| DB596CU | 12.74 /ft |
| DB596D | 7.29 /ft |
| DB596DF | 7.39 /ft |

| Catalog Number | List Price |
|----------------|------------|
| DB596DU | 14.90 /ft |
| DB596G | 7.49 /ft |
| DB596GF | 7.69 /ft |
| DB596GU | 14.90 /ft |
| DB597AP | 6.61 /ft |
| DB597CP | 8.57 /ft |
| DB597DP | 10.17 /ft |
| DB597GP | 10.17 /ft |
| S598A | 21.21 /ft |
| S598AS | 22.72 /ft |
| S598D | 25.09 /ft |
| S598DS | 27.11 /ft |
| 599C | 17.68 /ft |
| 599D | 20.43 /ft |
| 599G | 20.43 /ft |
| DB600A | 13.20 /ft |
| DB600AF | 13.31 /ft |
| DB600AP | 13.36 /ft |
| DB600AU | 15.90 /ft |
| DB600C | 15.64 /ft |
| DB600CF | 15.75 /ft |
| DB600CP | 15.80 /ft |
| DB600CU | 18.43 /ft |
| DB600D | 17.24 /ft |
| DB600DF | 17.49 /ft |
| DB600DP | 17.40 /ft |
| DB600DU | 20.09 /ft |
| DB600G | 17.24 /ft |
| DB600GF | 17.49 /ft |
| DB600GP | 17.40 /ft |
| DB600GU | 20.09 /ft |
| 602A | 4.77 /ft |
| 602C | 4.91 /ft |
| 602D | 5.87 /ft |
| 602G | 6.50 /ft |
| 603A | 4.63 /ft |
| 603C | 4.80 /ft |
| 603D | 6.31 /ft |
| 603G | 6.31 /ft |
| 608-25' | 12.73 /ea |
| 612C | 5.99 /ft |
| 612D | 7.71 /ft |
| 612G | 8.39 /ft |
| 619C | 5.65 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| 619D | 7.00 /ft |
| 619G | 7.20 /ft |
| 629-50' | 87.90 /ea |
| 630-50' | 87.90 /ea |
| 631-50' | 20.72 /ea |
| 632-100' | 181.48 /ea |
| 632-300' | 544.44 /ea |
| 633C | 11.60 /ft |
| 633D | 13.50 /ft |
| 633G | 14.00 /ft |
| 638CH-17 FT | 24.50 /ea |
| 638CH-19 FT | 27.36 /ea |
| 638CH- 21 FT | 30.33 /ea |
| 638CH- 25 FT | 36.00 /ea |
| 638CH-500 FT | 720.00 /ea |
| 653A | 9.90 /ft |
| 653C | 10.41 /ft |
| 653D | 11.93 /ft |
| 653G | 11.93 /ft |
| 655A | 7.99 /ft |
| 655C | 8.20 /ft |
| 655D | 8.36 /ft |
| 655G | 9.25 /ft |
| 657A | 6.65 /ft |
| 657C | 7.99 /ft |
| 657D | 8.11 /ft |
| 657G | 8.80 /ft |
| 659C | 17.32 /ft |
| 659D | 19.21 /ft |
| 659G | 19.21 /ft |
| 669C | 4.60 /ft |
| 669D | 5.60 /ft |
| 669G | 5.99 /ft |
| 678A | 2.37 /ft |
| 678C | 3.39 /ft |
| 678D | 3.85 /ft |
| 678G | 4.07 /ft |
| 688A | 2.43 /ft |
| 688C | 4.50 /ft |
| 688D | 5.04 /ft |
| 688G | 5.04 /ft |
| 701A | 10.75 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 701B | 35.60 /ft |
| 701C | 10.99 /ft |
| 701D | 13.17 /ft |
| 701G | 13.17 /ft |
| S714A | 14.85 /ft |
| S714D | 19.79 /ft |
| 754A | 6.92 /ft |
| 754C | 6.99 /ft |
| 754D | 7.91 /ft |
| 754G | 8.50 /ft |
| 755A | 8.02 /ft |
| 755C | 8.26 /ft |
| 755D | 9.71 /ft |
| 755G | 9.74 /ft |
| 756A | 6.84 /ft |
| 756C | 8.29 /ft |
| 756D | 8.90 /ft |
| 756G | 9.50 /ft |
| 757A | 7.34 /ft |
| 757C | 7.87 /ft |
| 757D | 9.23 /ft |
| 757G | 9.23 /ft |
| 758A | 7.02 /ft |
| 758C | 7.58 /ft |
| 758D | 9.18 /ft |
| 758G | 9.18 /ft |
| 759A | 6.59 /ft |
| 759C | 6.94 /ft |
| 759D | 7.94 /ft |
| 759G | 7.94 /ft |
| 769A | 3.18 /ft |
| 769C | 3.90 /ft |
| 769D | 4.61 /ft |
| 769G | 4.78 /ft |
| 770A | 6.79 /ft |
| 770C | 6.98 /ft |
| 770D | 8.32 /ft |
| 770G | 8.69 /ft |
| 772A | 7.45 /ft |
| 772B | 24.67 /ft |
| 772C | 7.59 /ft |
| 772D | 8.64 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 772G | 9.35 /ft |
| 773A | 7.76 /ft |
| 773C | 7.95 /ft |
| 773D | 9.52 /ft |
| 773G | 9.52 /ft |
| 775A | 7.89 /ft |
| 775C | 7.99 /ft |
| 775D | 9.38 /ft |
| 775G | 10.04 /ft |
| 778C | 6.16 /ft |
| 778D | 7.87 /ft |
| 778G | 7.87 /ft |
| 779C | 6.15 /ft |
| 779D | 7.99 /ft |
| 779G | 8.15 /ft |
| 786A | 4.73 /ft |
| 786D | 6.59 /ft |
| 786G | 6.59 /ft |
| 788A | 3.66 /ft |
| 788C | 3.98 /ft |
| 788D | 5.33 /ft |
| 788G | 5.33 /ft |
| 794B-36" | 4.31 /ea |
| 794B-84" | 10.08 /ea |
| 794B-120" | 14.40 /ea |
| 794W-36" | 4.31 /ea |
| 794W-84" | 10.08 /ea |
| 794W-120" | 14.40 /ea |
| 795C | 15.09 /ft |
| 795D | 17.51 /ft |
| 795G | 20.06 /ft |
| 796B-36" | 2.88 /ea |
| 796B-48" | 3.84 /ea |
| 796B-84" | 6.72 /ea |
| 796B-96" | 7.69 /ea |
| 796B-120" | 9.60 /ea |
| 796W-36" | 2.88 /ea |
| 796W-48" | 3.84 /ea |
| 796W-84" | 6.72 /ea |
| 796W-96" | 7.69 /ea |
| 796W-120" | 9.60 /ea |
| 797B-17 | 18.56 /ea |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| 797B-19 | 20.71 /ea |
| 797B-21 | 22.91 /ea |
| 797B-25 | 27.29 /ea |
| 797B-500 | 488.11 /ea |
| 797W-17 | 19.20 /ea |
| 797W-19 | 21.47 /ea |
| 797W-21 | 23.73 /ea |
| 797W-25 | 28.25 /ea |
| 797W-500 | 514.00 /ea |
| 798B-17 | 21.41 /ea |
| 798B-19 | 23.75 /ea |
| 798B-21 | 26.45 /ea |
| 798B-25 | 31.49 /ea |
| 798B-500 | 557.21 /ea |
| S803A | 10.45 /ft |
| S803D | 13.49 /ft |
| 804A | 2.22 /ft |
| 804C | 2.71 /ft |
| 804D | 3.45 /ft |
| 804G | 3.95 /ft |
| 805A | 2.87 /ft |
| 805C | 3.37 /ft |
| 805D | 3.83 /ft |
| 805G | 4.31 /ft |
| 806A | 2.26 /ft |
| 806C | 2.84 /ft |
| 806D | 3.64 /ft |
| 806G | 3.64 /ft |
| 807A | 1.31 /ft |
| 807C | 2.33 /ft |
| 807D | 2.72 /ft |
| 807G | 2.87 /ft |
| 810C | 6.18 /ft |
| 810D | 7.16 /ft |
| 810G | 7.16 /ft |
| S814A | 6.40 /ft |
| S814D | 8.10 /ft |
| 815A | 2.26 /ft |
| 815C | 2.88 /ft |
| 815D | 3.59 /ft |
| 815G | 3.59 /ft |
| 817A | 2.48 /ft |
| 817C | 2.82 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 817D | 3.63 /ft |
| 817G | 3.63 /ft |
| 818A | 2.67 /ft |
| 818C | 3.34 /ft |
| 818D | 3.99 /ft |
| 818G | 3.99 /ft |
| 822A | 2.47 /ft |
| 822C | 2.91 /ft |
| 822D | 4.35 /ft |
| 822G | 4.35 /ft |
| 825A | 3.49 /ft |
| 825C | 3.99 /ft |
| 825D | 4.09 /ft |
| 825G | 4.09 /ft |
| 854A | 5.51 /ft |
| 854C | 6.40 /ft |
| 854D | 7.27 /ft |
| 854G | 7.67 /ft |
| 855A | 6.23 /ft |
| 855C | 7.54 /ft |
| 855D | 7.76 /ft |
| 855G | 8.39 /ft |
| 856A | 7.04 /ft |
| 856C | 7.89 /ft |
| 856D | 8.92 /ft |
| 856G | 8.92 /ft |
| 858A | 5.71 /ft |
| 858C | 6.24 /ft |
| 858D | 7.23 /ft |
| 858G | 7.23 /ft |
| 859A | 5.49 /ft |
| 859C | 6.35 /ft |
| 859D | 7.01 /ft |
| 859G | 7.01 /ft |
| 863A | 2.52 /ft |
| 863C | 3.35 /ft |
| 863D | 4.35 /ft |
| 863G | 4.35 /ft |
| 875A | 6.54 /ft |
| 875C | 7.53 /ft |
| 875D | 8.06 /ft |
| 875G | 8.20 /ft |
| 884A | 2.84 /ft |

| Catalog Number | List Price |
|---|------------|
| 884C | 3.74 /ft |
| 884D | 4.77 /ft |
| 884G | 4.77 /ft |
| 888A | 1.52 /ft |
| 888C | 2.55 /ft |
| 888D | 3.17 /ft |
| 888G | 3.17 /ft |
| 918A | 3.79 /ft |
| 918C | 4.67 /ft |
| 918D | 6.11 /ft |
| 918G | 6.11 /ft |
| ** Automatics -- See Note 4 above ** | |
| 933C-36" | 99.11 /ea |
| 933C-48" | 122.71 /ea |
| 933D-36" | 113.10 /ea |
| 933D-48" | 136.49 /ea |
| 933G-36" | 113.10 /ea |
| 933G-48" | 136.49 /ea |
| 934A | 4.01 /ft |
| 934C | 4.23 /ft |
| 934D | 5.49 /ft |
| 934G | 5.49 /ft |
| ** Automatics -- See Note 4 above ** | |
| 943A-36" | 93.89 /ea |
| 943A-48" | 113.04 /ea |
| 956A | 4.10 /ft |
| 956C | 4.31 /ft |
| 956D | 5.66 /ft |
| 956G | 5.84 /ft |
| 957C | 3.33 /ft |
| 957D | 5.57 /ft |
| 958A | 3.23 /ft |
| 958C | 3.32 /ft |
| 958D | 4.83 /ft |
| 958G | 4.83 /ft |
| 959C | 3.31 /ft |
| 959D | 4.44 /ft |
| 960C | 13.39 /ft |
| 960D | 14.03 /ft |
| 960G | 14.03 /ft |
| 961C | 3.99 /ft |
| 961D | 5.75 /ft |
| 961G | 5.75 /ft |

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

| Catalog Number | List Price |
|----------------|------------|
| 962C | 8.39 /ft |
| 962D | 8.99 /ft |
| 962G | 8.99 /ft |
| 963C | 10.99 /ft |
| 963D | 13.99 /ft |
| 963G | 13.99 /ft |
| 964C | 4.08 /ft |
| 964D | 5.49 /ft |
| 964G | 5.49 /ft |
| 965C | 9.59 /ft |
| 965D | 10.99 /ft |
| 965G | 10.99 /ft |
| 966C | 12.80 /ft |
| 966D | 15.36 /ft |
| 966G | 15.36 /ft |
| 967C | 5.83 /ft |
| 967D | 7.34 /ft |
| 967G | 7.57 /ft |
| 968C | 9.02 /ft |
| 968D | 9.78 /ft |
| 968G | 9.78 /ft |
| 969C | 11.19 /ft |
| 969D | 13.59 /ft |
| 969G | 13.59 /ft |
| 970C | 5.81 /ft |
| 970D | 7.59 /ft |
| 970G | 7.59 /ft |
| 971C | 9.48 /ft |
| 971D | 11.01 /ft |
| 971G | 11.01 /ft |
| 973C | 13.04 /ft |
| 973D | 13.99 /ft |
| 977C | 13.38 /ft |
| 977D | 15.03 /ft |
| 978C | 17.53 /ft |
| 978D | 19.32 /ft |
| 979C | 19.67 /ft |
| 979D | 20.33 /ft |
| 984C | 5.15 /ft |
| 984D | 6.22 /ft |
| 984G | 6.22 /ft |
| 985C | 5.63 /ft |
| 985D | 7.79 /ft |
| 985G | 7.79 /ft |

| Catalog Number | List Price |
|----------------|------------|
| 986C | 5.63 /ft |
| 986D | 7.79 /ft |
| 986G | 7.79 /ft |
| S2048A | 9.69 /ft |
| S2048D | 14.99 /ft |
| S2058A | 13.67 /ft |
| S2058D | 15.71 /ft |
| 2124SS-36 | 245.00 /ea |
| 2124SS-48 | 330.00 /ea |
| 2124SS-72 | 484.76 /ea |
| 2124SS-84 | 574.76 /ea |
| 2124SS-96 | 649.68 /ea |
| 2125SS-36 | 268.95 /ea |
| 2125SS-48 | 360.00 /ea |
| 2125SS-72 | 537.00 /ea |
| 2125SS-84 | 640.42 /ea |
| 2125SS-96 | 720.00 /ea |
| 2144SS-36 | 254.97 /ea |
| 2144SS-48 | 339.96 /ea |
| 2144SS-72 | 509.94 /ea |
| 2144SS-96 | 679.92 /ea |
| 2145SS-36 | 275.97 /ea |
| 2145SS-48 | 367.96 /ea |
| 2145SS-72 | 551.94 /ea |
| 2145SS-96 | 735.92 /ea |