



### Peaks Preferred Features:

- Patented Key Control
- Patented Design Prevents Unauthorized Key Duplication
- Available in Mortise, Rim, Key-in-Lever/Knob, Interchangeable and Removable Cores
- Retrofits Most Major Brands of Grade 1 & 2 Hardware

### Peaks® Preferred

- Patented Key Control
- Patented Design Prevents Unauthorized Key Duplication
- Available in Mortise, Rim, Key-in-Lever/Knob, Interchangeable and Removable Cores
- Retrofits Most Major Brands of Grade 1 & 2 Hardware
- Backwards Compatible With Peaks Classic




Pages 137-147

**Peaks® Systems . . . . . 148-155**






- Patented key control
- Patented design prevents unauthorized key duplication
- Available in mortise, rim, key-in-lever/knob, interchangeable and removable cores
- Retrofits most major brands of Grade 1 & 2 hardware
- Backwards compatible to Peaks Classic

- Part Number includes finish, but not keyway. Specify keyway.
- Specify keying as required, using BHMA, DHI, or ALOA Standard Key Coding System



### Examples



### Finishes

Kaba	Description	US	BHMA	Kaba	Description	US	BHMA
03	Polished Brass	US3	605	11	Oil Rubbed Bronze	US10B	613
04	Satin Brass	US4	606	25	Satin Chrome	US26D	626
05	Antique Brass	US5	609	26	Polished Chrome	US26	625
10	Satin Bronze	US10	612				



### Peaks Preferred Key Blanks

- Graphics/logos quoted on request. Contact Kaba or your Distributor about participating in the Custom Die Program. Ask for the Peaks Custom Die Form.
- Kaba-Ilco Ultracode key machine compatible, contact Kaba-Ilco for more information.
- Specify keyway when ordering.

**Note: Key blanks available in multiples of 100 only.**

Model Number	Description	Pkg.
8800-00-0002AAA	Key blank, 6-pin	100 Pcs
8800-00-0003AAA	Key blank, 7-pin	100 Pcs
8800-00-0032AAA	Key blank, 6-pin, custom die stamped	100 Pcs
8800-00-0033AAA	Key blank, 7-pin, custom die stamped	100 Pcs
8840-00-0002AAA	Cut key, 6-pin 140 spacing	1 Pc
8850-00-0002AAA	Cut key, 6-pin 150 spacing	1 Pc
8850-00-0003AAA	Cut key, 7-pin 150 spacing	1 Pc
8840-00-0032AAA	Cut key, 6-pin 140 spacing custom die stamped	1 Pc
8850-00-0032AAA	Cut key, 6-pin 150 spacing custom die stamped	1 Pc
8850-00-0033AAA	Cut key, 7-pin 150 spacing custom die stamped	1 Pc
8840-00-0004AAA	Hotel emergency cut key, 6-pin small format interchangeable core only	1 Pc


AAA = Keyway

### Keying Charges, Services, and Bitting Lists


Note: 140 spacing and 150 spacing cannot be used in the same system.

Description
Random Serialization charge per key
Surcharge for non-standard key stamping per character
Rekey or repair cylinder, less keys
Bitting list when no combined cylinders are ordered; per bitting (45 bittings minimum)
Etching/Stamping (per core)
Large key systems (over 200 bittings)

## 8400 Key-in-Knob/Lever Cylinders UNCOMBINED



Finishes are 04 (US4) and 25 (US26D) only.



Replace xx with your preferred finish code.

Model Number	Description	Pkg.
8400 - xx - 1099	Peaks Universal 99 Cylinder Kit, patented Includes three fixed and three lost motion tailpieces. Use J or K series bottom pins.	1 Pc

The Universal "99" cylinder kit can be used to make the following:


Manufacturer	Lock Type	Model #	Manufacturer	Lock Type	Model #
<b>Amerock</b>	See Arrow		<b>LSDA</b>	LX1000 grade 1 levers (1998)	-18
<b>Arrow</b>	H, L, S and W series	-09	<b>LSDA</b>	LX1400 grade 1 storeroom lever	-18
<b>Arrow</b>	M series levers	-09	<b>LSDA</b>	L100 grade 2 levers	-18
<b>Arrow</b>	M series Ball knobs	-20	<b>LSDA</b>	600 series clutch levers	-18
<b>Arrow</b>	Q series levers	-09	<b>LSDA</b>	220 single cyl. deadlocks	-90
<b>Arrow</b>	Single Cyl. Deadlocks	-90	<b>LSDA</b>	225 double cyl. deadlocks	-01*
<b>Arrow</b>	Double Cyl. Deadlocks	-92	<b>Marks</b>	110, 120 series	-14
<b>Cal-Royal</b>	BA grade 2 knobs	-14	<b>Marks</b>	130 series deadlocks	-01*
<b>Cal-Royal</b>	CGN grade 1 levers	-09	<b>Marks</b>	170, 190, 195 series levers	-01*
<b>Cal-Royal</b>	SL grade 2 levers	-09	<b>Marks</b>	210 series knobs	-01*
<b>Corbin/Ruswin</b>	CL3800	-01*	<b>Master</b>	ProSeries padlocks	-01*
<b>Corbin/Ruswin</b>	CL3300	-20	<b>New Standard</b>	Brass padlocks	-41
<b>Corbin/Ruswin</b>	CL3400 and CL3600	-11	<b>Olympus</b>	700LC, 800LC*	Note 1
<b>Corbin/Ruswin</b>	ED8000-A5 / N5 lever trim	-11	<b>Omnilock</b>	Knob, key by-pass	-17
<b>Dorma</b>	Grade 1 CL853, 873, 880, 880EU 880EL, 882, 885, CK853, 873, 880 880EU, 880EL, 882, 885	-44* *	<b>Omnilock</b>	Lever, key by-pass	-09
<b>Dorma</b>	Grade 1 CL860, 870, 872, 877, CK860, 870, 872, 887	-45* *	<b>PDQ</b>	SK, SP, ST levers	-16
<b>Dorma</b>	Grade 2 CL753, 770, 780, CK753, 770, 780	-14	<b>PDQ</b>	SV grade 2	-84
<b>Dorma</b>	Grade 2 CL651, 670, CK651, 670	-42* *	<b>PDQ</b>	Imported grade 1 levers	-23
<b>Dorma</b>	Grade 2 CL680, CK680	-43* *	<b>Sargent</b>	5500 Line grade 2 knobs	-14
<b>Dorma</b>	Grade 2 DB660	-46* *	<b>Sargent</b>	465, 485, 486 single cyl. deadlocks	-90
<b>Dorma</b>	Grade 2 DB662	-47* *	<b>Sargent</b>	464, 484 double cyl. deadlocks	-92
<b>Falcon</b>	X series knobs, except Hana	-12	<b>Schlage</b>	A series, non-Orbit knobs	-14
<b>Falcon</b>	B series grade 2 levers	-18	<b>Schlage</b>	A series, Orbit knobs	-07
<b>Falcon</b>	F series levers	-17	<b>Schlage</b>	AL series levers	-20
<b>Falcon</b>	N series knobs	-17	<b>Schlage</b>	B single cyl. deadlocks	-90
<b>Falcon</b>	LY grade 1 levers	-23	<b>Schlage</b>	B double cyl. deadlocks	-92
<b>Falcon</b>	RU grade 1 unit locks	-01*	<b>Schlage</b>	C & D series grade 1 knobs	-17
<b>Falcon</b>	S series knobs, except Hana	-13	<b>Schlage</b>	C & D series grade 1 levers	-09
<b>Falcon</b>	S series Hana knobs	-33	<b>Schlage</b>	S series grade 2 levers	-01
<b>Falcon</b>	T series levers	-01*	<b>Schlage</b>	PL series padlocks	-01
<b>Kaba</b>	1411 padlocks	-41	<b>Schlage</b>	Old style 45-101 padlocks	-01
<b>LSDA</b>	LS100B, 100P, 100T knobs	-14	<b>Select/Medeco</b>	2000 / All-N-One deadlocks	-01
<b>LSDA</b>	LX1000 grade 1 levers (pre 1994)	-99 *	<b>Trilogy</b>	2500 by-pass knob	-17
<b>LSDA</b>	LH1000 grade 1 knobs	-17	<b>Trilogy</b>	2500 by-pass lever	-09
			<b>Ultra</b>	7000 Ball knob	-09
			<b>Von Duprin</b>	22 series exit knob trim	-07

Note 1: Uses Olympus Kit #78-Kaba-Conv


\*: Uses tailpieces supplied by manufacturer

♦: Uses tailpieces sold separately: -42 (3400-00-4020); -43 (3400-00-4021); -44 (3400-00-4015); -45 (3400-00-4016); -46 (3400-XX-5100); -47 (3400-XX-5110); -99 (Field modification of tailpiece required)

## 8400 Series Key-in-Knob/Lever Cylinders UNCOMBINED



Finishes are 04 (US4) and 25 (US26D) only.




Replace xx with your preferred finish code.

Model Number	Description	Pkg.
8400 - xx - 1095	Peaks Universal 95 Cylinder Kit, patented. For small diameter plug face applications: Falcon, Sargent and Weiser. Includes three fixed and three lost motion tailpieces. Use J or K series bottom pins.	1 Pc

The "95" cylinder kit can be used to make the following:

Manufacturer	Lock Type	Model #	Manufacturer	Lock Type	Model #
Cal-Royal	LSD single cylinder deadlock	-01	Sargent	2000 Exit Device trim	-10
Cal-Royal	LSDD double cylinder deadlock	-01	Sargent	6500 Line	-10
Falcon	D series deadlocks	-01	Sargent	6 Line grade 2 Ball knobs	-65
Falcon	X series knobs/unit locks	-21	Weiser	D 9370/9470 series deadlocks	-01
Sargent	6 Line knobs, except Ball	-10	Yale	5300L grade 2 levers	-95
Sargent	10 Line levers	-10	Yale	5300LN grade 2 levers	-56



Model Number	Description	Pkg.
8400 - xx - 1006	Peaks Universal 06 Cylinder Kit. For Arrow, LSDA, and Schlage. Includes one security bushing and three fixed tailpieces.	1 Pc


The Universal "06" cylinder kit can be used to make the following:

Accepts original Kaba, Ilco, Marks, Sargent, and Arrow fixed tailpieces.

Manufacturer	Lock Type	Model #	Manufacturer	Lock Type	Model #
American	3600 and 3700 series padlocks	-01	Master	System 29 padlocks	-01
Arrow	M series Tudor and Darrin	-26	Master	Pro Series	-01
Corbin/Russwin	CL3391	*	Trilogy	2700 and 3000 levers	-03
Falcon	X series Hana knobs	-33			

\*Tailpiece requires field modification

## 8400 Key-in-Knob / Lever Cylinders UNCOMBINED




Finishes are 04 (US4) and 25 (US26D) only.

**Replace xx with your preferred finish code.**


Model Number	Description	Pkg.
8400 - xx - 1004	Corbin/Ruswin CK4200 grade 1 knobs and UT5200 unit locks	1 Pc
8400 - xx - 1005	Peaks Universal 05 Cylinder Kit. For Sargent II Line T Zone.	1 Pc
8400 - xx - 1008	Sargent 7, 8, and 9 Line	1 Pc
8400 - xx - 1010	Sargent kit for 6, 10, 65 Line and 2000 exit device trim Includes security bushing and one fixed tailpiece	1 Pc
8400 - xx - 1054	Yale 5300 grade 2 knobs and 5400 grade 1 knobs	1 Pc
8400 - xx - 1055	Yale 5400LN grade 1 levers, Corbin/Ruswin CL3900, Yale 540F Trim	1 Pc
8400 - xx - 1076	Sargent 7600 IntegraLock	1 Pc




8400 - XX - 1004




8400 - XX - 1008




8400 - XX - 1010



8400 - XX - 1054




8400 - XX - 1055



8400 - XX - 1004

## 8400 Series Key-in-Knob/Lever Cylinders COMBINED



Finishes are 04 (US4) and 25 (US26D) only.

Two cut change keys included with combined product.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8400 - xx - 1206-01	American padlocks	1 Pc
8400 - xx - 1299-09	Arrow H, L, W and S series; M series levers only	1 Pc
8400 - xx - 1206-26	Arrow M Darrin and Tudor knobs only	1 Pc
8400 - xx - 1299-09	Arrow Q series	1 Pc
8400 - xx - 1299-90	Arrow double cylinder deadlocks	1 Pc
8400 - xx - 1295-01	Cal-Royal LSD and LSDD deadlocks	1 Pc
8400 - xx - 1255-55	Corbin/Ruswin CL3900	1 Pc
8400 - xx - 1299-01	Corbin/Ruswin CL3800	1 Pc
8400 - xx - 1204-04	Corbin/Ruswin CK4200 grade 1 knobs; UT5200 unit locks	1 Pc
8400 - xx - 1299-11	Corbin/Ruswin CL3400, CL3600 grade 1 levers	1 Pc
8400 - xx - 1299-17	Falcon F levers and N knobs	1 Pc
8400 - xx - 1295-01	Falcon D series deadlocks	1 Pc
8400 - xx - 1299-23	Falcon LY grade 1 levers	1 Pc
8400 - xx - 1295-21	Falcon X series and capless knob unit locks	1 Pc
8400 - xx - 1299-12	Falcon X grade 1 knobs, except Hana	1 Pc
8400 - xx - 1299-13	Falcon S grade 2 knobs, except Hana	1 Pc
8400 - xx - 1299-33	Falcon S and X series, Hana knobs	1 Pc


Model Number	Description	Pkg.
8400 - xx - 1299-41	Kaba 1411 padlocks	1 Pc
8400 - xx - 1299-14	LSDA 100B, 100P, and 100T knobs	1 Pc
8400 - xx - 1299-17	LSDA LH1000 grade 1 knobs	1 Pc
8400 - xx - 1299-90	LSDA single cylinder deadlocks	1 Pc
8400 - xx - 1299-92	LSDA double cylinder deadlocks	1 Pc
8400 - xx - 1299-01	Master ProSeries padlocks	1 Pc
8400 - xx - 1206-01	Master System 29 padlocks	1 Pc
8400 - xx - 1299-14	Marks 110, 120 series knobs	1 Pc
8400 - xx - 1299-01	Marks 130 deadlocks, 210 knobs, 170, 190, 195 levers	1 Pc
8400 - xx - 1299-01	Medeco / Select 2000 deadlocks	1 Pc
8400 - xx - 1299-41	New Standard padlocks	1 Pc
8400 - xx - 1299-17	Omnilock bypass knobs	1 Pc
8400 - xx - 1299-16	PDQ SK, SP, and ST USA levers	1 Pc
8400 - xx - 1299-23	PDQ grade 1 imported levers	1 Pc
8400 - xx - 1299-84	PDQ imported SV grade 2 knobs	1 Pc
8400 - xx - 1208-08	Sargent 7, 8, and 9 Lines knobs	1 Pc
8400 - xx - 1295-10	Sargent 6 Line non-Ball knobs, 10 Line, 2000 series exit devices, and 6500 Line	1 Pc
8400 - xx - 1210-65	Sargent 6 Line Ball, 5500 Line	1 Pc
8400 - xx - 1205-05	Sargent 11 Line T Zone	1 Pc
8400 - xx - 1276-76	Sargent 7600 IntegraLock	1 Pc
8400 - xx - 1299-90	Sargent single cylinder deadlocks	1 Pc
8400 - xx - 1299-14	Schlage A grade 2 non-Orbit knobs	1 Pc
8400 - xx - 1299-07	Schlage A grade 2 Orbit knobs	1 Pc
8400 - xx - 1299-17	Schlage C and D knobs	1 Pc
8400 - xx - 1299-92	Schlage double cylinder deadlocks	1 Pc
8400 - xx - 1206-03	Trilogy 2700 and 3000 levers	1 Pc
8400 - xx - 1295-01	Weiser D9370 and D9470 deadlocks	1 Pc
8400 - xx - 1255-55	Yale 5400LN grade 1 levers	1 Pc
8400 - xx - 1254-54	Yale 5300 grade 2 knobs and 5400 grade 1 knobs	1 Pc
8400 - xx - 1295-56	Yale 5300LN grade 2 levers	1 Pc

### Peaks Preferred Components

Parts only available in specified quantities listed.

Model Number	Description	Pkg.
8400-00-5020	Peaks Cylinder Sales Kit Includes (1) 8401 conventional mortise cylinder (1) 8400-xx-1299 key-in-knob cylinder kit (1) control key and (1) change key and your choice of (5) of the following: 8940 spring cover small format interchangeable core, 8840 capped small format interchangeable core, 8144 Corbin/Ruswin large format interchangeable core, 8244 Yale large format interchangeable core, 8444 Schlage large format interchangeable core, or the 8544 Sargent large format interchangeable core.	1 Pc
0001-10-8085	3-part voucher forms for cut keys	100 Pcs
4700-00-4202	Poxylube® spray lubricant, 4.5 oz. can (12 cans / case) Note: Special shipping charges for Air service	1 can

## 8900 Series Spring Cover small format interchangeable cores




Finishes are 04 (US4) and 25 (US26D) only.  
 One cut change key included.  
 Master keying included with combined product.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8940 - xx - 1006	140 6-pin small format interchangeable core, uncombined	1 Pc
8940 - xx - 1206	140 6-pin small format interchangeable core, combined	1 Pc
8950 - xx - 1006	150 6-pin small format interchangeable core, uncombined	1 Pc
8950 - xx - 1206	150 6-pin small format interchangeable core, combined	1 Pc
8950 - xx - 1007	150 7-pin small format interchangeable core, uncombined	1 Pc
8950 - xx - 1207	150 7-pin small format interchangeable core, combined	1 Pc

## 8900 Series Spring Cover small format interchangeable core Mortise and Rim Cylinders




Finishes are 03 (US3) and 25 (US26D) only.  
 One cut change key included.  
 Master keying included with combined product.  
 For uncombined cylinders, please order cores and housings separately.  
 Cylinders furnished with standard cam. Specify Adams Rite, cloverleaf or Schlage L, if required.  
 Marks and Sargent/Yale cams are available on special order.  
 140 spacing and 150 spacing cannot be used in the same system.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8941 - xx - 1206	140 6-pin 1¼" small format interchangeable core mortise cylinder, combined	1 Pc
8951 - xx - 1206	150 6-pin 1¼" small format interchangeable core mortise cylinder, combined	1 Pc
8951 - xx - 1207	150 7-pin 1¾" small format interchangeable core mortise cylinder, combined	1 Pc
8942 - xx - 1206	140 6-pin small format interchangeable core rim cylinder, combined	1 Pc
8952 - xx - 1206	150 6-pin small format interchangeable core rim cylinder, combined	1 Pc
8952 - xx - 1207	150 7-pin small format interchangeable core rim cylinder, combined	1 Pc



### 8800 Series Capped small format interchangeable cores




Finishes are 04 (US4) and 25 (US26D) only.  
 One cut change key included.  
 Master keying included with combined product.  
 Order control key(s) separately.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8840 - xx - 1006	140 6-pin small format interchangeable core, uncombined	1 Pc
8840 - xx - 1206	140 6-pin small format interchangeable core, combined	1 Pc
8850 - xx - 1006	150 6-pin small format interchangeable core, uncombined	1 Pc
8850 - xx - 1206	150 6-pin small format interchangeable core, combined	1 Pc
8850 - xx - 1007	150 7-pin small format interchangeable core, uncombined	1 Pc
8850 - xx - 1207	150 7-pin small format interchangeable core, combined	1 Pc

### 8800 Series Capped small format interchangeable core Mortise and Rim Cylinders




Finishes are 03 (US3) and 25 (US26D) only.  
 One cut change key included.  
 Master keying included with combined product.  
 For uncombined cylinders, please order cores and housings separately.  
 Cylinders furnished with standard cam. Specify Adams Rite, cloverleaf or Schlage L, if required.  
 Marks and Sargent/Yale cams are available on special order.  
 140 spacing and 150 spacing cannot be used in the same system.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8841 - xx - 1206	140 6-pin 1¼" small format interchangeable core mortise cylinder, combined	1 Pc
8851 - xx - 1206	150 6-pin 1¼" small format interchangeable core mortise cylinder, combined	1 Pc
8851 - xx - 1207	150 7-pin 1¾" small format interchangeable core mortise cylinder, combined	1 Pc
8842 - xx - 1206	140 6-pin small format interchangeable core rim cylinder, combined	1 Pc
8852 - xx - 1206	150 6-pin small format interchangeable core rim cylinder, combined	1 Pc
8852 - xx - 1207	150 7-pin small format interchangeable core rim cylinder, combined	1 Pc

## 8004 Series large format interchangeable cores for Corbin/Russwin, Yale, Schlage and Sargent (140 Spacing only)




Finishes are 04 (US4) and 25 (US26D) only.  
 One cut change key included.  
 Master keying included with combined product.  
 Order control key(s) separately.

**Replace xx with your preferred finish code.**

Model Number	Description	Pkg.
8144 - xx - 1006	Large format interchangeable core for Corbin/Russwin 6-pin, uncombined Large diameter plug; J or K series bottom pins required	1 Pc
8144 - xx - 1206	Large format interchangeable core for Corbin/Russwin 6-pin, combined Large diameter plug; J or K series bottom pins required	1 Pc
8244 - xx - 1006	Large format interchangeable core for Yale 1210 6-pin, uncombined	1 Pc
8244 - xx - 1206	Large format interchangeable core for Yale 1210 6-pin, combined	1 Pc
8444 - xx - 1006	Large format interchangeable core for Schlage 6-pin, uncombined, X and W series pins required	1 Pc
8444 - xx - 1206	Large format interchangeable core for Schlage 6-pin, combined, X and W series pins required	1 Pc
8544 - xx - 1006	Large format interchangeable core for Sargent 6-pin, uncombined Large diameter plug; J or K series bottom pins required	1 Pc
8544 - xx - 1206	Large format interchangeable core for Sargent 6-pin, combined Large diameter plug; J or K series bottom pins required	1 Pc

8144 for Corbin/Russwin




8444 for Schlage



8244 for Yale




8544 for Sargent




## 8401 and 8402 Series Conventional Mortise and Rim Cylinders

8401 mortise



Finishes are 03 (US3) and 25 (US26D).  
Two cut change keys included with combined product.  
Specify cam when other than listed. See below.

8402 rim



**Replace xx with your preferred finish code.**









### Mortise

Model Number	Description	Pkg.
8401 - xx - 1014	140 6-pin 1¼" mortise cylinder, standard cam, uncombined	1 Pc
8401 - xx - 1214	140 6-pin 1¼" mortise cylinder, standard cam, combined	1 Pc
8401 - xx - 1018	140 6-pin 1⅝" mortise cylinder, AR cam, uncombined	1 Pc
8401 - xx - 1218	140 6-pin 1⅝" mortise cylinder, AR cam, combined	1 Pc
8401 - xx - 1038	140 6-pin 1⅝" mortise cylinder kit, uncombined. Includes: 5/32" spacer, Adams Rite, cloverleaf, Sargent/Yale, Schlage L and standard cams	1 Pc
8401 - xx - 1238	140 6-pin 1⅝" mortise cylinder kit, combined Includes: 5/32" spacer, Adams Rite, cloverleaf, Sargent/Yale, Schlage L and standard cams	1 Pc

### Rim

Model Number	Description	Pkg.
8402 - xx - 1010	140 6-pin standard rim cylinder, uncombined	1 Pc
8402 - xx - 1210	140 6-pin standard rim cylinder, combined	1 Pc
8402 - xx - 1012	140 6-pin Sargent rim cylinder, uncombined	1 Pc
8402 - xx - 1212	140 6-pin Sargent rim cylinder, combined	1 Pc

### Cams for Conventional Mortise Cylinders - Please Specify

Item	Part Number	Item	Part Number
 <b>Corbin/Ruswin DL4000</b>	3418-00-3000	 <b>Sargent/Yale</b>	3418-00-3004
 <b>Adams Rite</b>	3418-00-3001	 <b>AR4070</b>	3418-00-3008
 <b>Standard</b>	3418-00-3002	 <b>Schlage L</b>	3418-00-3009
 <b>Cloverleaf for Corbin / Ruswin and Best</b>	3418-00-3003	 <b>Falcon</b>	3418-00-3010

## A2 System Tumbler Pins

### Bottom Pins for all products, except 8444/6440 Schlage large format interchangeable cores

Parts only available in specified quantities listed.

- Use A series bottom pins for all products except 8144/6140 Corbin/Russwin, 8540/6540 Sargent large interchangeable cores, 8400/3400-xx-1095 and -1099 key-in-knob cylinders having large diameter plugs, which use J series bottom pins. 8444/6440 Schlage large interchangeable cores require X series bottom pins and W series top pins.

Model Number	Size	Size	Description	Pkg.
3800-00-3200	0A		bottom pin (same as OE)	100 Pcs
3800-00-3201	1A		bottom pin	100 Pcs
3800-00-3202	2A		bottom pin	100 Pcs
3800-00-3203	3A		bottom pin	100 Pcs
3800-00-3204	4A		bottom pin	100 Pcs
3800-00-3205	5A	0J	bottom pin (same as 3E, OK)	100 Pcs
3800-00-3206	6A	1J	bottom pin	100 Pcs
3800-00-3307	7A	2J	bottom pin	100 Pcs
3800-00-3207	7AS	2JS	optional spool pin for 7A, 2J	100 Pcs
3800-00-3308	8A	3J	bottom pin	100 Pcs
3800-00-3208	8AS	3JS	optional spool pin for 8A, 3J	100 Pcs
3800-00-3309	9A	4J	bottom pin	100 Pcs
3800-00-3209	9AS	4JS	optional spool pin for 9A, 4J	100 Pcs
6140-00-3205		5J	bottom pin (same as 3K)	100 Pcs
6140-00-3206		6J	bottom pin	100 Pcs
6140-00-3207		7J	bottom pin	100 Pcs
6140-00-3208		8J	bottom pin	100 Pcs
6140-00-3209		9J	bottom pin	100 Pcs

### Top Pins for all products, except 8444/6440 Schlage large format interchangeable core

Model Number	Size	Description	Pkg.
3800-00-4202	2B	top pin	100 Pcs
3800-00-4203	3B	top pin	100 Pcs
3800-00-4204	4B	top pin	100 Pcs
3800-00-4205	5B	top pin	100 Pcs
3800-00-4306	6B	top pin	100 Pcs
3800-00-4206	6BS	optional spool pin for 6B	100 Pcs
3800-00-4207	7B	top pin	100 Pcs
3800-00-4308	8B	top pin	100 Pcs
3800-00-4208	8BS	optional spool pin for 8B	100 Pcs
3800-00-4209	9B	top pin	100 Pcs
3800-00-4310	10B	top pin (same as 6F)	100 Pcs
3800-00-4210	10BS	optional spool pin for 10B	100 Pcs
3800-00-4211	11B	top pin	100 Pcs
3800-00-4212	12B	top pin	100 Pcs
3800-00-4213	13B	top pin	100 Pcs
3800-00-4214	14B	top pin	100 Pcs
3800-00-4215	15B	top pin	100 Pcs
3800-00-4216	16B	top pin	100 Pcs
3800-00-4217	17B	top pin	100 Pcs
3800-00-4218	18B	top pin	100 Pcs
3800-00-4219	19B	top pin	100 Pcs

**A2 System Tumbler Pins for 8444/6440 Schlage large format interchangeable core**

- A4 pins and spool pins are not available for Schlage large format interchangeable cores

**Bottom Pins for 8444/6440 Schlage large format interchangeable core**

Model Number	Size	Description	Pkg.
6440-00-3200	0X	bottom pin	100 Pcs
6440-00-3201	1X	bottom pin	100 Pcs
6440-00-3202	2X	bottom pin	100 Pcs
6440-00-3203	3X	bottom pin	100 Pcs
6440-00-3204	4X	bottom pin	100 Pcs
6440-00-3205	5X	bottom pin	100 Pcs
6440-00-3206	6X	bottom pin	100 Pcs
6440-00-3207	7X	bottom pin	100 Pcs
6440-00-3208	8X	bottom pin	100 Pcs
6440-00-3209	9X	bottom pin	100 Pcs

**Top Pins for 8444/6440 Schlage large format interchangeable core**

Model Number	Size	Description	Pkg.
6440-00-4202	2W	top pin	100 Pcs
6440-00-4203	3W	top pin	100 Pcs
6440-00-4204	4W	top pin	100 Pcs
6440-00-4205	5W	top pin	100 Pcs
6440-00-4206	6W	top pin	100 Pcs
6440-00-4207	7W	top pin	100 Pcs
6440-00-4208	8W	top pin	100 Pcs
6440-00-4209	9W	top pin	100 Pcs
6440-00-4210	10W	top pin	100 Pcs
6440-00-4211	11W	top pin	100 Pcs
6440-00-4212	12W	top pin	100 Pcs
6440-00-4213	13W	top pin	100 Pcs
6440-00-4214	14W	top pin	100 Pcs
6440-00-4215	15W	top pin	100 Pcs
6440-00-4216	16W	top pin	100 Pcs
6440-00-4217	17W	top pin	100 Pcs
6440-00-4218	18W	top pin	100 Pcs
6440-00-4219	19W	top pin	100 Pcs

## A4 System Tumbler Pins

Parts only available in specified quantities listed.

- Use E series bottom pins for all products except 8144/6440 Corbin/Russwin, 8544/6540 Sargent large format interchangeable cores, and 8400/3400-xx-1095 and 8400/3400-xx-1099 key-in-knob cylinders. These products have large diameter plugs, which use K series bottom pins.
- A4 pinning is not available for 8444/6440 Schlage large format interchangeable cores.

### Bottom Pins for all products, except 8444/6440 Schlage large format interchangeable core

Model Number	Size	Size	Description	Pkg.
3800-00-3200	0E		bottom pin (same as 0A)	100 Pcs
3800-00-3401	1E		bottom pin	100 Pcs
3800-00-3402	2E		bottom pin	100 Pcs
3800-00-3205	3E	OK	bottom pin (same as 5A, 0J)	100 Pcs
3800-00-3504	4E	1K	bottom pin	100 Pcs
3800-00-3404	4ES	1KS	optional spool pin for 4E, 1K	100 Pcs
3800-00-3505	5E	2K	bottom pin	100 Pcs
3800-00-3405	5ES	2KS	optional spool pin for 5E, 2K	100 Pcs
6140-00-3205		3K	bottom pin (same as 5J)	100 Pcs
6140-00-3404		4K	bottom pin	100 Pcs
6140-00-3405		5K	bottom pin	100 Pcs

### Top Pins for all products, except 8444/6440 Schlage large format interchangeable core

Model Number	Size	Description	Pkg.
3800-00-4401	1F	top pin	100 Pcs
3800-00-4402	2F	top pin	100 Pcs
3800-00-4403	3F	top pin	100 Pcs
3800-00-4504	4F	top pin	100 Pcs
3800-00-4404	4FS	optional spool pin for 4F	100 Pcs
3800-00-4505	5F	top pin	100 Pcs
3800-00-4405	5FS	optional spool pin for 5F	100 Pcs
3800-00-4310	6F	top pin (same as 10B)	100 Pcs
3800-00-4210	6FS	optional spool pin for 6F	100 Pcs
3800-00-4407	7F	top pin	100 Pcs
3800-00-4408	8F	top pin	100 Pcs
3800-00-4409	9F	top pin	100 Pcs
3800-00-4410	10F	top pin	100 Pcs
3800-00-4411	11F	top pin	100 Pcs

## Pin Kits, Patent Pins, Springs, Spring Covers & Retainers

### Specifications

Parts only available in specified quantities listed.

- Tools not included with pin kits

### Pin Kits

Model Number	Description	Pkg.
3400-00-5012	Peaks Universal A2 system pin kit	1 Pc
6440-00-5002	Schlage large format interchangeable core A2 system pin kit	1 Pc
3400-00-5004	Peaks Universal A4 system pin kit	1 Pc
3800-00-2322	Peaks Wooden pin kit box only	1 Pc

### Patent Pins

Model Number	Description	Pkg.
6140-00-3004	Patent bottom pin for: 3400-xx-1095 and - 1099 key-in-knob cylinders, 6140 Corbin/Russwin, 6540 Sargent and 6440 Schlage large format interchangeable core with large diameter plugs	100 Pcs
3800-00-3004	Patent bottom pin for all other Peaks Classic products	100 Pcs
8140-00-3004	Patent bottom pin for: 8400-xx-1095 and - 1099 key-in-knob cylinders, 8144 Corbin/Russwin, 8544 Sargent and 8444 Schlage large format interchangeable core with large diameter plugs	100 Pcs
8800-00-3004	Patent bottom pin for all other Peaks Preferred products	100 Pcs
3425-00-3002	Patent top pin for all conventional cylinders	100 Pcs
3800-00-3005	Patent top pin for all small format interchangeable core and large format interchangeable core	100 Pcs

### Spring Covers, Caps and Springs

Model Number	Description	Pkg.
3425-00-2006	Spring cover for 8144/6140 Corbin/Russwin and 8244/6240 Yale large format interchangeable core, 8401/3401 mortise and 8402/3402 rim cylinders	100 Pcs
6800-00-2006	Spring cover for 6-pin 8900/6800 series small format interchangeable core	100 Pcs
6800-00-2007	Spring cover for 7-pin 8900/6800 series small format interchangeable core, 6340 Medeco and 8544/6540 Sargent large format interchangeable core	100 Pcs
6440-00-2000	Spring cover for all key-in-knob/lever cylinders 3400 and 8000/6440 Schlage large format interchangeable core	100 Pcs
3800-00-4221	Caps for 8800/3800 series small format interchangeable core	500 Pcs
3800-00-4010	Tumbler springs, stainless steel for all products except 8444/6440 Schlage large format interchangeable core	500 Pcs
6440-00-4010	Tumbler springs for 8444/6440 Schlage large format interchangeable core	500 Pcs
3450-00-4013	Universal retaining pin spring for 8400/3400-xx-1095 and -1099	100 Pcs

## C-Ring Plug Retainers

Parts only available in specified quantities listed.

Model Number	Description	Pkg.
3425-34-4002	C-ring for conventional key-in-knob and small format interchangeable core	10 Pcs
6140-00-4002	C-ring for 8144/6140 Corbin/Ruswin, 8444/6440 Schlage, and 8544/6540 Sargent large format interchangeable core	10 Pcs
6240-00-4002	C-ring for 8244/6240 Yale large format interchangeable core	10 Pcs
6340-00-4002	C-ring for 6340 Medeco large format interchangeable core	10 Pcs

## Miscellaneous

Model Number	Description	Pkg.
3450-00-4012	Universal retaining pin for 8400/3400-xx-1095 and -1099	100 Pcs
6340-00-4012	Timing pin for 6340 Medeco and 8544/6540 Sargent large format interchangeable core	100 Pcs

## Cams and Tailpieces for Conventional Cylinders

Model Number	Description	Pkg.
3400-00-5010	Cam and Tailpiece Kit for conventional cylinders	1 Pc

## Cams and Components for 8401/3401 Conventional Mortise Cylinders

Model Number	Description	Pkg.
3418-00-3000	Corbin/Ruswin DL4000 deadlock cam	10 Pcs
3418-00-3001	Adams Rite cam	10 Pcs
3418-00-3002	standard cam	10 Pcs
3418-00-3003	cloverleaf cam (Corbin/Ruswin, Best)	10 Pcs
3418-00-3004	Sargent/Yale cam	10 Pcs
3418-00-3008	Adams Rite 4070 cam	10 Pcs
3418-00-3009	Schlage L Series cam	10 Pcs
3418-00-3010	Falcon clover cam	10 Pcs
3418-00-2000	Cam cover	100 Pcs
4701-98-4118	Cam screws	100 Pcs

## Rim Cylinder Components

Model Number	Description	Pkg.
4702-80-2009	Rim cylinder tailpiece	10 Pcs
3410-00-2001	Rim cylinder plug / tailpiece retainer	10 Pcs





**Key-in-Knob/Lever Cylinder Tailpieces**

Parts only available in specified quantities listed.

Model Number	Description	Pkg.
1410-82-2000	P tailpiece-Kaba 1411, New Standard padlock, and Sargent T Zone	10 Pcs
1590-80-2000	SD/3A tailpiece-Arrow, LSDA, Schlage D	10 Pcs
3425-00-4012	Yale 5400LN tailpiece retainer pin	10 Pcs
3425-82-3012	Yale 5400LN tailpiece	10 Pcs
4700-80-2001	SA/3B tailpiece-Arrow M Ball, Schlage A non-Orbit	10 Pcs
4700-80-2002	S/3C tailpiece-Schlage A Orbit	10 Pcs
4700-80-2003	FX tailpiece-Falcon X, except Hana	10 Pcs
4700-80-2004	FS tailpiece-Falcon S, except Hana	10 Pcs
4700-80-2005	E tailpiece-Emhart grade 2, Trilogy 2700	10 Pcs
4700-80-2006	FH tailpiece	10 Pcs
4700-80-2007	LSDA grade 2 lever tailpiece (requires 4700-00-4007 washer)	10 Pcs
4700-00-5109	Falcon tailpiece pack. One each: FX, FH, FS, and bushing	1 Pc

**Lost Motion Tailpieces and Parts**

Model Number	Description	Pkg.
3450-00-2000	Single cylinder lost motion tailpiece - 8400/3400-xx-1095 or 1099	10 Pcs
3450-00-2001	Short double cylinder lost motion tailpiece - 8400/3400-xx-1095 or 1099	10 Pcs
3450-00-2002	Long double cylinder lost motion tailpiece - 8400/3400-xx-1095 or 1099	10 Pcs
3450-80-2003	Spacing washer for 8400/3400-xx-1095 or 1099	10 Pcs
3450-80-2004	Timing washer for 8400/3400-xx-1095 or 1099	10 Pcs


**Bushings, Washers and Miscellaneous**

Model Number	Description	Pkg.
3400-00-2009	Security bushing	10 Pcs
3400-00-4008	Security washer-plug	10 Pcs
4700-00-4006	Fixed tailpiece retaining ring for O6 plug	10 Pcs
4700-00-4007	Metal security washer for PDQ and LSDA	10 Pcs
4700-00-4008	Security washer-tailpiece	10 Pcs



## Supplies, Service Equipment and Tools

Model Number	Description	Pkg.
3840-00-3517	Capping press (for both 140 and 150 capped small format interchangeable core)	1 Pc
3840-00-3540	140 capping block for 8840/3840 series capped small format interchangeable core	1 Pc
3850-00-3540	150 capping block for 8850/3850 series capped small format interchangeable core	1 Pc
3800-00-3547	Capping tool (used with above capping blocks)	1 Pc
3800-00-3548	Ejector tool (used with 8800/3800 series capped small format interchangeable core)	1 Pc
3400-00-4000	Staking fixture for conventional cylinders	1 Pc
6840-00-3540	Staking fixture for all spring cover small format interchangeable core and large format interchangeable core except Schlage large format interchangeable core	1 Pc
6440-00-3540	Staking fixture for Schlage large format interchangeable core	1 Pc
6440-00-4001	Staking tool	1 Pc
3400-00-4003	Plug follower for small diameter plug	1 Pc
3800-00-3001	Modified B vise jaw for HPC1200CM code machine	1 Pc
3800-00-3211	Small format interchangeable core mortise cylinder housing installation wrench	1 Pc
3800-00-4050	Multi-key gauge (A2 / A4 depth and 140 / 150 space)	1 Pc





























































## Small Format Interchangeable Core Housings and Collars for cores only

Finishes are O3 (US3) and 25 (US26D).

Small format interchangeable core mortise housings with Marks or Sargent/Yale cams available on special order.

Model Number	Description	Pkg.
3801 - xx - 5016	1¼" 6-pin mortise housing, standard cam	1 Pc
3801 - xx - 5026	1¼" 6-pin mortise housing, Adams Rite cam	1 Pc
3801 - xx - 5036	1¼" 6-pin mortise housing, cloverleaf cam	1 Pc
3801 - xx - 5046	1¼" 6-pin mortise housing, Schlage L cam	1 Pc
3801 - xx - 5017	1⅜" 7-pin mortise housing, standard cam	1 Pc
3801 - xx - 5027	1⅜" 7-pin mortise housing, Adams Rite cam	1 Pc
3801 - xx - 5037	1⅜" 7-pin mortise housing, cloverleaf cam	1 Pc
3801 - xx - 5047	1⅜" 7-pin mortise housing, Schlage L cam	1 Pc
3802 - xx - 5000	1⅜" Rim housing, 7-pin	1 Pc
3802 - xx - 5006	1¼" Rim housing, 6-pin	1 Pc
3800 - xx - 3007	Brass spacer for 6-pin core in 7-pin housing	1 Pc
4000 - xx - 3004	⅝" spacer collar for 1⅜" mortise cylinder (for 4500 series deadlock, or 1⅜" NS aluminum door)	1 Pc
4230 - xx - 5000	Adjustable collar for mortise cylinder	1 Pc

### Component Summary Table

Product	Retainer	Spring Retainer	Patent Bottom	Patent Top	Pins	Springs
8401 Mortise 	Specify cam 4701-98-4118 cam screws 3418-00-2000 cam cover	3425-00-2006 Mortise/Rim/RC Spring cover 	8800-00-3004 	3425-00-3002 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8402 Rim 	3410-00-2001 retainer 	3425-00-2006 Mortise/Rim/RC Spring cover 	8800-00-3004 	3425-00-3002 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8400 key-in-knob except 1095 and 1099 	3425-36-4002 C-ring 	6440-00-2000 Key-in-knob Spring cover 	8800-00-3004 	3425-00-3002 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8400-XX-1095 and 8400-XX-1099 	Screw cap plug retainer accepts other mfg's tailpieces	6440-00-2000 Key-in-knob Spring cover 	8144-00-3004 	3425-00-3002 	A2 J & B A4 K & F	3800-00-4010 Stainless 
8800 ICore 	3425-34-4002 C-ring 	3800-00-4221 Caps 	8800-00-3004 Installed at factory 	3800-00-3005 Installed at factory 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8900 ICore 	3425-34-4002 C-ring 	6800-00-2006 6-pin cover  6800-00-2007 7-pin cover 	8800-00-3004 Installed at factory 	3800-00-3005 Installed at factory 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8144 Corbin Russwin RCore 	6140-00-4002 C-ring 	3425-00-2006 Mortise / Rim / RC Spring cover 	8144-00-3004 	3800-00-3005 	A2 J & B A4 K & F	3800-00-4010 Stainless 
8244 Yale RCore 	6240-00-4002 C-ring 	3425-00-2006 Mortise/Rim/RC Spring cover 	8800-00-3004 	3800-00-3005 	A2 A & B A4 E & F	3800-00-4010 Stainless 
8444 Schlage RCore 	6140-00-4002 C-ring 	6440-00-2000 Spring cover 	8144-00-3004 	3800-00-3005 	A2 X & W A4 N/A	6440-00-4010 Stainless  Smaller diameter than 3800-00-4010
8544 Sargent RCore 	6140-00-4002 C-ring 	6800-00-2007 7-pin cover 	8144-00-3004 	3800-00-3005 	A2 J & B A4 K & F	3800-00-4010 Stainless 